

R. 62. W.


R. 61. W.

R. 60. W.

R. 59. W.

R. 58. W.

R. 57. W.

2nd COR: LINE SOUTH3rd COR: LINE SOUTH

Amount of Survey: Townships 222 N^o 07 Ch^o 56 Lk^o
Connections " 16 " 95 "


Survey commenced: August, 5th 1871
" completed: September, 17th 1871

I hereby Certify that the above Diagram of the Exterior Lines of Townships N^o 11 South Ranges N^o 57, 58, 59, 60 & 61, of Townships N^o 12, 13, 14 & 15 South Ranges N^o 57, 58, 59, 60, 61 & 62 West of the 6th Principal Meridian in Colorado as surveyed by Jacob H. Mark under his contract of June 14th 1871 is strictly conformable to the field notes of the Survey thereof on file in this Office, which have been examined and approved.

Surveyor General's Office
Denver, C. T. October, 21st 1871.

J. H. Mark
Survey Genl.

Township No. 12 South Range No. 62 West of the 6th Principal Meridian.



22949.85 Total number of Acres.

Scale, 20 chains to an inch.

Survey Designated.	By whom Surveyed.	Date of Contract.	Amount of Survey.	When Surveyed.
Township,	C. A. Deane	June 10 th 1864	M. Chs. Lks.	1864
Sub-division,	W. A. Ashley	Aug. 3 rd 1868		1868
	Jacob H. Martz	June 14 th 1871		1871
	W. A. Christian	June 14 th 1871	59- 72- 35-	Sept. 17 th to 23 rd 1871

The above Map of Township No. 12 South of Range No. 62 West of the 6th Principal Meridian, in Colorado, is strictly conformable to the field notes of the survey thereof on file in this office, which have been examined and approved.

SURVEYOR GENERAL'S OFFICE,
Denver, C. T., December, 30th 1871.

[Signature]
Surveyor General.

BUREAU OF LAND MANAGEMENT

COLORADO

RECTANGULAR SURVEY INDEX

PRINTED: 02/24/76

BOUNDARY	TOWNSHIP 12 VOLUME	SOUTH RANGE 62 INTRODUCTION SURVEY		WEST SURVEY		TYPE	CONTRACT	ISSUED OR	- SIXTH PRIN MER SURVEY			SURVEYOR OR REMARKS
		FROM	TO	FROM	TO				OR GROUP	APPROVED	YEAR	
NORTH	R=A	77	77	80	80	93	99	ORG	06/10/1867	1867	07/10/1867	C A DEANE
NORTH	R=E	111	112	173	175			ORG		1868		W ASHLEY
NORTH	R=F					287	291	ORG	08/03/1868	1868	11/25/1868	W ASHLEY
SOUTH	R=A	67	67	70	70	93	99	ORG	06/10/1867	1867	07/10/1867	C A DEANE
SOUTH	R0008	1	1	138	142	260	260E	ORG	06/14/1871	1871	10/21/1871	J H MARTZ
EAST	R=E	111	112	175	175			ORG		1868		W ASHLEY
EAST	R0008	1	1	138	139	260	260E	ORG	06/14/1871	1871	10/21/1871	J H MARTZ
EAST	R0008	1	1	142	144	260	260E	ORG	06/14/1871	1871	10/21/1871	J H MARTZ
WEST	R=A	67	67	70	70	93	99	ORG	06/10/1867	1867	07/10/1867	C A DEANE
WEST	R=A	77	77	77	80	93	99	ORG	06/10/1867	1867	07/10/1867	C A DEANE
SUBDIVISION	R0003	359	360	361	392	463	467	ORG	06/14/1871	1871	12/23/1871	W A CHRISTIAN

North Bay $\frac{1}{4}$ 14 S. R 63 West

boundary of Sec. 36.
Bearing 15° East

40.00 At a Port in mound
and marked stone

for $\frac{1}{4}$ Sec. corner S.E.
Squirrel Creek corner

80.00 The corner to Town-
ships 13, and 14 South
Ranges 62 and 63 West
Land nearly level. State
veg brush grass.

X

The land in this Town-
ship is gently rolling,
and generally covered
with a stunted growth
of bunch grass and
sage brush. No
water or wood is
found in this Township.
June 27th 1866

East Bay $\frac{1}{4}$ 13, S. R 63 W.

Gridl Notes of the ex-
terior lines of Town-
ship 13, S. R. 63 W.

X

^{post}
From the Port cor-
ner to Townships
13, and 14 S. R. 63 West,
Town

North between Secs.
31, and 36 at a
Bearing of 15° East

40.00 At a Conglomerate
Stone 14x11x4 for
 $\frac{1}{4}$ Sec corner.

80.00 At a conglomerate
Stone 7x13x5

E. City T. 13 S. R. 6 & 3 W.

80.00 Set a conglomerate
Stone $14 \times 11 \times 6$ for
corner to Sec. 16, T. 12
Land nearly level & flat
veg. bunch grass

North between Secs 14 & 16
Bear. 15° East

40.00 Set a conglomerate
Stone $10 \times 8 \times 7$ for
 $\frac{1}{4}$ Sec. corner.

80.00 Set a conglomerate
Stone $20 \times 15 \times 6$
for corner to Secs.
1, 6, 31, T. 13 S. in
Townships 12 and
13 South Ranges
63 and 64 West
Land rolling, white
veg. bunch grass

North Bay T. 13 S. R. 43 W.

new page

Draw the corner
to Townships 12,
and 13 S. Ranges 62,
and 63 West. Run.

West on a ran-
dom line on the
North boundary
of Township 13
S. Range 63 West,
setting temporary
stone every 40 and
80 chains, at a
bear. of 15° East,
and at 479.22 chains
intersect N. and S.
line at a point
87 lbs N. of corner
to Townships 12,
and 13 South, Ranges
63 and 64 West,
from which corner
I run N. $89^\circ 54' 6''$

Gp. 13 S. R. 63 W.

of willows growing
on the banks of its
only stream (Squir-
rell Creek) no wood
is found in the
Township.

Chain compared and
found correct.
June 28th 1867.

Gp. 12 S. R. 63 W.

Field Notes of the
exterior lines of
Township 12 S.
Range 63 West.

From the corner to
Townships 12, and
13 South, Ranges
62 and 63 West Iron
North between Secs
31. and 36 at a
bear, of 15° East.

4000 Set a Post in mound
and marked stone
for 1/4 Sec. corner.

8000 Set a Post in mound
and marked stone for
corner to Secs 25:30 31 & 36
Land nearly level & rate
veg. bunch grass

Y. 12 S. R. 63 W

North between Secs 2 & 30
 Va. 15° East.

4000

Set a Post in mound
 and marked stone
 for $\frac{1}{4}$ Sec. corner.

4050

Dry Porine cone
 South 35° East.

8000

Set a Post in mound
 and marked stone
 for corner to Secs
 19, 24, 25 and 30
 Land nearly level with
 big bunch grass

North between Secs
 19 and 24
 Va. 15° East.

4000

Set a Conglomerate
 stone 14 x 11 x 4 for
 $\frac{1}{4}$ Sec. corner

8000

Set a conglomerate

Y. 12 S. R. 63 W

Stone 16 x 11 x 4
 for corner to Secs

13, 18, 19, 24

Land rolling with
 big bunch grass

North between Secs
 13 and 15.

Va 15° East

4000

Set a Granite boulder
 14 x 12 x 6 for $\frac{1}{4}$ Sec. corner.

8000

Set a Conglomerate
 stone 15 x 11 x 7 for
 corner to Secs 12, 13, 18
 Land gently rolling
 with
 big bunch grass

North between Secs
 7 and 12.

Va 15° East.

4000

Set a Conglomerate

Yp. 12 S. R. 63 W.

5000 Stone 15 x 9 x 4
for $\frac{1}{4}$ sec. corner
at a conglomerate
stone 16 x 11 x 7 for
corner to Secs 1, 6, 31 & 12
Land gently rolling
2nd rate
veg bunch grass

North between Secs 1 & 6
by 15° East

4000 Set a conglomerate
stone 15 x 9 x 4 for
 $\frac{1}{4}$ sec. corner.

8000 Set a conglomerate
stone 22 x 16 x 12.
for corner to Secs
1, 6, 31 and 36 in
Townships 11 and
12 S. Ranges 62
and 63 West

Yp. 12 S. R. 63 W.

Ground the corner to
Townships 11 and 12
South, Ranges 62
and 63 West, I run
Wth along the North bound-
ary of Township 12
S. Range 63 West
at a

Var. of 15° East,
setting temporary
stone corners, and
at 480, 66 chains
intersect N. & S.
line at a point
88 fms. S. of corner
to Townships 11 and
12 S. Ranges 63 and
64 West, from which
corner I run S 89° 54'
East a true line
Variation 15° East.
Set a sandstone 14 x 10
x 4 for $\frac{1}{4}$ sec. corner.

40, 66

I hereby certify that I
 assisted Cecil A Deane
 Deputy Surveyor in survey-
 ing the exterior lines of
 Townships 11. 12. 13. 14 & 15
 South. Ranges 64 & 63 West
 of the 6th Principal Meridian
 also the 3rd correction line
 South, for a distance of 24
 miles East from the 8th
 Guide Meridian in Colorado
 and that said survey, has
 been well and faithfully
 surveyed and the boundary
 monuments have been
 planted according to the in-
 struction furnished by the
 Surveyor General.


Frank Watters
 Esq. Surveyor

Territory of Colorado
 County of Osage
 Subscribed and sworn

To be fore me this Third
day of July 1867

Witness my hand and
Notarial Seal this 3^d
day of July 1867

John W Webster
Notary Public




We hereby certify that
we assisted Cecil A.
Deane, deputy Surveyor,
in surveying the exte-
rior lines of Town-
ships 11. 12. 13. 14 and
15 South, Ranges 63 and
64 West of the 6th Prin-
cipal Meridian; also
the 3rd correction line
South, for a distance of
24 miles East from
the 8th Guide Meridian
in Colorado, and that
said survey has been
well and faithfully
surveyed, and the bound-
ary monuments have
been planted according
to the instructions
furnished by the Sur-
veyor General.

Richard H. Bridger }
 Richard H. Plummer } Chairman
 John W. Quire }
 J. F. Morgan. }
 James Fisher }

Territory of Colorado
 County of Otero

Sworn and Subscribed
 to before me this 4th
 day of July. A.D. 1867
 Witness my hand
 and Notarial Seal
 John W. Webster
 Notary Public



I Cecil A. Deane deputy
 Surveyor do solemnly
 swear that in pursuance
 of a contract with W. H.
 Lessey Surveyor General
 of the public lands of the
 United States in the Territory
 of Colorado, bearing date
 the 10th day of June 1867, and
 in strict conformity to the
 laws of the United States
 and the instructions fur-
 nished by said Surveyor
 General, I have faithfully
 surveyed the 3rd Correction
 line S. East from the 8th Guide
 Meridian 24 miles and
 the Exterior line of the
 11. 12. 13. 14 & 15 S. R. 63 & 64
 N. of the 6th Principal
 Meridian in said
 Territory and do

further solemnly swear
that the foregoing are
the true and original
field notes of such sur-
vey

Becil A. Deane.

Deputy Surveyor.

Territory of Colorado }
Atopahre County }²¹

Subscribed
by said Becil A. Deane deputy
surveyor and sworn to before
me this 14th day of July

A.D. 1867

Eli M. Ashley
Notary Public

Surveyor General's Office
Denver C.T. July 10th 1867

The foregoing field notes
of the survey of the 3rd Con.
line S.-E. from the 8th Guide
Mer. 24 miles and the Exter-
rior line of the 11, 12, 13, 14 & 15
S.R. 63 & 64 th. executed
by Becil A. Deane, having
been critically examined
the necessary corrections &
explanations made the said
field notes and the surveys
they describe are hereby
approved.

J. D. D. Vessing
Surveyor General of
Colorado & Utah

Field Notes
of the survey of the
2nd Cor line S. East
12 miles in Ranges 59 & 60
N. & the exterior line of
the 6, 7, 8, 9 & 10 S. R 59 & 60
etc 11 S. R. 62 N. of the
6th Pmi. Mer. & Colorado
by

William Ahlley
Deputy Surveyor

Survey commenced
Sept. 7th 1868 & completed
Sept 24th 1868.

Names & duties of
survey party

William Ashley Engineer

Alfred Burriss Chain
Redmond E. Dillon "

Lewis C. Durner Flyman

Eldredge C. Rowan Boundary
Stephen H. Pickering "

2nd Cor Line S. R. 60th.

From the cor. to Tps. 10,
S. R. 60 & 61th. on the 2nd
Cor. line South & run
E. on a true line ~~along~~
the S. boundary of Sec 31
Ta by Burt's improved
Solar Compass $14^{\circ} E$,

40.00 Set sandstone $15 \times 9 \times 7$
for $\frac{1}{4}$ sec cor.

80.00 Set sandstone $10 \times 12 \times 6$
for cor. to Secs 31 & 32,
Land rolling 2nd rate

E. along the S. boundary of
Sec 32,

Ta $14^{\circ} 25' E$,

40.00 Set sandstone $14 \times 9 \times 7$
for $\frac{1}{4}$ sec cor.

65.15 Sand creek corner
N. E.

80.00 Set sandstone $18 \times 9 \times 5$
for cor. to Secs 32 & 33
Land rolling 2nd rate

80.00 Set sandstone 15-10-6
for cor. & Secs. 1, 6, 7 & 12,
Land rolling 2nd rate

N. between Secs 1 & 6,
Ta 13° 45' E,

40.00 Set sandstone 12-10-8
for 1/4 sec. cor.

65.00 Runni course E,

78.80 " " N.E.,

93.99 Intersect cr. line at
a point 9.71 Ch. N. of
Standard cor. and set
a stone 20-14-4 for
closing corner,
Land rolling 2nd rate
Sept. 21st 1868

Good grazing land
surface rolling covered
with fine grass,
Water in Biggs creek,

Begin at the S.W. cor. of
Twp 11 S. R 62 W. and run
E. on a true line between
Secs 6 & 31

Ta 15° 15' E,

36.00 Runni course S. 20° E,

40.00 Set stone 9-9-8 for 1/4
sec cor,

80.00 Set conglomerate stone 16-6
-5 for cor & Secs 5, 6, 31 & 32
Land rolling 2nd rate

E. between Secs 5 & 32

Ta 15° 15' E,

40.00 Set conglomerate stone 14
x 9 x 5 for 1/4 sec. cor.

80.00 Set conglomerate stone
12 x 9 x 5 for cor. & Secs
4, 5, 32 & 33,

Land gently rolling 2nd rate

E. between Secs. 4 & 33,

Ta 15° 15' E

40.00 Set stone 12 x 8 x 5 for 1/4 sec.
Sec. cor.

61.20 Runni course N 25° E,

80.00 Set conglomerate stone

13 x 8 x 5 for cor. & Secs.

3, 4, 33 & 34

Found gently rolling 2nd rate

E. between Secs 3 & 34

Ta 15° 15' E,

40.00 Set conglomerate stone

16 x 6 x 5 for 1/4 sec cor.

44.60 Runni course N 10° E,

80.00 Set conglomerate stone

15 x 6 x 6 for cor. & Secs

2, 3, 34 & 35

Found 2nd rate

E. between Secs 2 & 35

Ta 15° 15' E,

40.00 Set conglomerate stone

15 x 8 x 4 for 1/4 sec. cor.

48.40 Runni course N. but soon
turns E,80.00 Set conglomerate stone 16 x
7 x 5 for cor. & Secs. 1, 2, 35
& 36.

Found rolling 2nd rate

E. between Secs 1 & 36.

Ta 15° 15' E,

1.24 Runni course N 55° E,

24.40 Runni " N. E,

40.00 Set conglomerate stone

16 x 8 x 5 for 1/4 sec. cor.

72.70 Dry run course N,

80.00 Set conglomerate stone 18

x 7 x 5 for cor. & Secs 11 & 12

S. R 61 & 62 W.

Found 2nd rate

N. on a true line between
Secs. 31 & 36.

To $124^{\circ}30'E$,

40.00 set post with monument
 shared state for 1/4 sec. cor.
 78.90 Bygon cr. course E,
 83.41 intersect 2nd cor. line S.
 268 lbs W. of standard
 cor. at which point I
 set a post with monument
 & shared state for closing
 corner.

Nov. 16th / 1888,

General Description
 The land in this T^h is
 mostly 2nd rate. In
 secs 4, 5 & 6. there is 1st rate
 land. In these secs is
 the Bygon Basin settlement.
 Large quantities of ryegrass
 & small grain are raised,
 without irrigation. Water
 is plentiful in all parts of the T^h.
 There are some small groves of pine
 timber in the T^h.

We hereby certify that
 we assisted W^m Ashley
 deputy surveyor, in sur-
 veying the 2nd cor. line
 S. East 12 miles in Ranges
 59 & 60 W., the exterior lines
 of T^hs 6, 7, 8, 9 & 10 S. R. 59
 & 60 W. & 11 S. R. 62 W. also
 the the subdivisional lines
 of T^hs 9 & 10 S. R. 61, 10 & 11 S. R.
 62, 11 S. R. 63 and 11 & 12
 S. R. 64 W. of the 6th Pri-
 meridian in Colorado and
 that said T^hs have been
 in all respects to the best
 of our knowledge and belief
 well and faithfully surveyed
 and the boundary monuments
 planted according to
 the instructions furnished
 by the Survey General.
 Redmond E. Dillon

Lewis C. Durrer
 Elbridge C. Rowan
 Stephen K. Pickering
 Alfred Burrors

Territory of Colorado
 Arapahoe County 3

Subscribed
 by the above named per-
 sons and sworn to before
 me this 19th day of Nov,
 1868

Eli W. Ashley
 Notary Public

I William Ashley deputy
 surveyor, do solemnly
 swear that in pursuance
 of a contract with H. H.
 Lessey Surveyor General
 of the public lands of
 the United States in
 the territory of Colorado
 bearing date the 3rd of
 August 1868, and in strict
 conformity to the laws
 of the United States and
 the instructions furnished
 by the said Surveyor Gen-
 eral, I have faithfully
 surveyed the 2nd cor. line
 S. East. 12 mile in R. 59 & 60
 the exterior lines of tps. 6.7
 8.9. & 10 S. R. 59 & 60, & 11 S. R 62
 and the subdivisional
 lines of tps 9 & 10 S. R 61,
 10 & 11 S. R 62, 11 S. R 63, and

11 & 12 S. R. 64 N. of the
6th Principal Meridian in
Colorado, and do further
solemnly swear that the
foregoing are the true &
original field notes of
such survey.

William Ashley
Deputy Surveyor.

Territory of Colorado
Asaph County 3

Subscribed
by the said William Ashley
deputy surveyor, and
seen to be for me this
19th day of Nov. 1868,

E. L. M. Ashley
Notary Public

Survey General's office
Denver C.T. Nov. 25th 1868
The foregoing field notes
of the survey of the 2nd Sec.
line S. E. 12 miles in R 59 & 60
the entire lines of tps 6. 7. 8.
9 & 10 S. R 59 & 60. & 11 S. 62. and
the subdivisional lines of
tps. 9 & 10 S. R 61. 10 & 11 S. R 62
11 S. R 63. and 11 & 12 S. R 64
N. executed by W^m Ashley
under his contract of Aug.
3rd 1868. having been crit-
ically examined the nec-
essary corrections and ex-
planations made, the said
field notes and the sur-
veys they describe are her-
by approved.

V. D. Leasing.
Survey General
of Colorado

Field Notes
of Survey of Subdivisional
Lines of Twp. 12. S. R. 62
N. of the 6th Tm. Mer.
in Colorado Territory
by Wm A. Christian
Dep. Surveyor
under Contract of Nov 14/71
Survey begun Sep 17. 71
Completed Sep 23. 71

Township 12 S. R. 62 W

6	391	5	382	4	377	3	371	2	366	1
390	390	382	376	371	365					
7	389	8	381	9	376	10	370	11	365	12
389	388	381	375	370	364					
18	388	17	380	16	375	15	369	14	364	13
387	387	380	374	369	363					
19	386	20	379	21	374	22	368	23	363	24
386	385	379	373	368	362					
30	385	29	378	28	373	27	367	26	362	25
384	383	378	372	367	361					
31	383	32	377	33	372	34	366	35	361	36

T. 12 S. R. 62 W

My compass being in
proper adjustment, I
begin on the S. boundary
of the Tp. at the Cor to
Sec 35, 36 & run

N. between Sec 35, 36

To 14° 15' E

40.00 Set Stone 29x10x3 in 1/4 cor

80.00 Set Stone 24x16x12 in 1/4 cor

to Sec 25, 26, 35, 36

Land rolling 2 rods

On a random line
between Sec 25 & 36

To 14° 45' E

40.00 Set temporary 1/4 cor

80.10 Intersect C. line of Tp

8 E. S. 1/4 cor

from which Cor. Town

S. 89° 57' W

on a true line

T. 12. S. R. 62. W

40.15 Let stone 17x15x4 for 1/4 bu

80.10 The bu to be 25.26.35.36

Land selling 2 route

N. between loc 25.26

Va 14" 15' E

40.00 Let granite st. 16x16x3 for 1/4 bu

80.00 Let as 17x12x10 for
bu to be 23.24.25.26

Land selling 2 route

E. m. a. sandman line
between loc 24.25

Va 14" 45' E

40.00 Let temporary 1/4 bu

80.24 Intersect C. line of T. 18
lks S. of bu.from which bu I run
S. 89° 52' 00"

on a true line

40.12 Let Antinomina for 1/4 bu

T. 12. S. R. 62. W

80.24 The bu. to be 23.24.25.26

Land selling 2 route

N. between loc 23.24

Va 14" 15' E

40.00 Let granite st. 16x12x4 for 1/4 bu

80.00 Let as 18x16x5 for bu
to be 13.14.23.24

Land selling 2 route

E. m. a. sandman line
between loc 13.24

Va 14" 45' E

40.00 Let temporary 1/4 bu

80.32 Intersect C. line of T. 3 lks S
of bu. from which bu I run
S. 89° 59' 00"

on a true line

40.16 Let stone 15x15x12 for 1/4 bu

80.32 The bu to be 13.14.23.24

Land selling 2 route

T. 12. S. R. 62. 00
 N. between Sec 13 & 14
 Va 14° 15' E

4A. 00 Set Stone 17x12x8 for 1/4 Sec 13
 8A. 00 Set Stone 20x12x10 for Sec
 to be 11. 12. 13. 14
 Land rolling 2^d route

E. on a random line
 between Sec 12 & 13
 Va 14° 45' E

4A. 00 Set temporary 1/4 Sec
 8A. 20 Intersect E. line of Tp. 33
 1/4 S. of Sec
 from which Sec 13 runs
 S. 89° 46' 00

on a true line
 4A. 10 Set for Monarda for 1/4 Sec
 8A. 20 The Sec to be 11. 12. 13. 14
 Land rolling 2^d route
 by Town corner

T. 12. S. R. 62. 00
 N. between Sec 11 & 12
 Va 14° 15' E

4A. 00 Set Stone 14x12x8 for 1/4 Sec
 8A. 00 Set Stone 19x18x8 for Sec
 to be 1. 2. 11. 12
 Land rolling 2^d route

Sept 17, 1871

E. on a random line
 between Sec 1 & 12
 Va 14° 45' E

4A. 00 Set temporary 1/4 Sec
 8A. 38 Intersect E. line of Tp 47th
 S. of Sec. from which Sec 1 runs
 S. 89° 40' 00

on a true line

4A. 19 Set Sandstone 18x16x6 for 1/4 Sec
 8A. 38 The Sec to be 1. 2. 11 & 12
 Land rolling 2^d route

T. 12. S. R. 62. 00

N. on a random line
between loc 1 & 2

$\text{Va } 14^{\circ} 15' \text{ E}$

40.00 Let temporary $\frac{1}{4}$ sec
78.03 Intersect N. line of 170.
28 lts E. of bar,
from which bar. Town

S. $0^{\circ} 12' \text{ C}$

on a true line

38.03 Let post in mound for $\frac{1}{4}$ sec

78.03 The bar to loc 1. 2 & 1. 12

Land meeting 2^d & 3^d route
By Branch & Prairie runs

N. between loc 34, 35

$\text{Va } 14^{\circ} 15' \text{ E}$

40.00 Let post in mound for $\frac{1}{4}$ sec

80.00 Let post in mound for bar
to loc 26. 27. 34, 35

Land meeting 2^d route

T. 12. S. R. 62. 00

E. on a random line
between loc 26 & 35

$\text{Va } 14^{\circ} 45' \text{ E}$

40.00 Let temporary $\frac{1}{4}$ sec

49.90 Intersect N. S. line 18 lts

N. of bar, from which bar Town

N. $89^{\circ} 52' \text{ 00}$

on a true line

99.95 Let post in mound for $\frac{1}{4}$ sec

79.90 The bar to loc 26. 27. 34, 35

Land meeting 2^d route

N. between loc 26, 27

$\text{Va } 14^{\circ} 15' \text{ E}$

40.00 Let post in mound for $\frac{1}{4}$ sec

80.00 Let stone 22 x 12 x 3 for bar

to loc 22. 23. 26, 27

Land meeting 2^d route
By Branch & Prairie runs

T. 12. S. R. 62. 08
 E. m. a. sandm line
 between Sec 23, 26
 Va 14° 45' E

40.111 Let temporary 1/4 Sec
 80.12 Intersect N. S. line 7th
 S. of Sec. from which Sec 23
 S. 89° 57' 08"
 on a true line

40.116 Let line 18x17x6 ft 1/4 Sec
 80.12 The Sec. to be 22, 23, 26, 27
 Land rolling 2^d rate
 No. 100 in 1000 ft
 Sept 18, 1871

N. between Sec 22, 23
 Va 14° 15' E

40.109 Let point in corner for 1/4 Sec
 80.111 Let point in corner for Sec
 to be 14, 15, 22, 23
 Land rolling 2^d rate

T. 12. S. R. 62. 08
 E. m. a. sandm line
 between Sec 14, 23
 Va 14° 45' E

40.108 Let temporary 1/4 Sec
 80.119 Intersect N. S. line 29th
 S. of Sec. from which Sec 23
 S. 89° 48' 08"
 on a true line

40.109 Let point in corner for 1/4 Sec
 80.119 The Sec. to be 14, 15, 22, 23
 Land rolling 2^d rate

N. between Sec 14, 15
 Va 14° 15' E

40.108 Let Land 16x8x5 ft 1/4 Sec
 80.111 Let point in corner for
 Sec to be 10, 11, 14, 15
 Land rolling 2^d rate
 No. 100 in 1000 ft

T. 12. S. R. 62. 08
 E. on a random line
 between lec 11, 14
 Va 14° 45' E

44.00 Set temporary 1/4 bu
 80.03 Intersect N. S. line 18th
 S. of bu. from which for 1000
 S. 89° 52' 00.
 on a true line

44.01 Set post in mound for 1/4 bu
 80.03 The bu to lec 10, 11, 14, 15
 Land rolling 2nd mile

N. between lec 10 & 11
 Va 14° 15' E

44.00 Set post in mound for 1/4 bu
 80.00 Set post in mound for bu
 to lec 2, 3, 10, 11
 Land rolling 2nd mile
 (Reg, Punch & Dainigan)

T. 12. S. R. 62. 08
 E. on a random line
 between lec 2 & 11
 Va 14° 45' E

44.00 Set temporary 1/4 bu
 80.20 Intersect N. S. line 21th
 S. of bu. from which for 1000
 S. 89° 51' 00.
 on a true line

44.10 Set post in mound for 1/4 bu
 80.20 The bu to lec 2, 3, 10, 11
 Land rolling 2nd mile

N. on a random line
 between lec 2 & 3
 Va 14° 15' E

44.00 Set temporary 1/4 bu
 78.46 Intersect N. line of Df. 33
 14 E. of bu.
 from which bu 1000
 S. 11° 14' E
 on a true line

372

T. 12. S. R. 62. 00

38.46 Set post in mound for 1/4 bu

78.46 The bu to be 2. 3. 10. 11

Land meeting 2^d & 3^d cuts

Veg. bunch, Buffalo

Prairie grass

Not sandy.

Sept. 19. 1871

N. between loc 33. 34

Ta 14° 15' E

40.00 Set post in mound for 1/4 bu

80.00 Set post in mound for
bu to be 27. 28. 33. 34Land meeting 1st cut

E. on a random line

between loc 27. 34

Ta 14° 45' E

40.00 Set temporary 1/4 bu

79.90 Intersect N. S. line 18
th N. & bu

373

T. 12. S. R. 62. 00

from which bu from

N. 89° 52. 00

on a true line

39.95 Set post in mound for 1/4 bu

79.90 The bu to be 27. 28. 33. 34

Land meeting 2^d cut

N. between loc 27 28

Ta 14° 15' E

40.00 Set post in mound for 1/4 bu

80.00 Set sandstone 19x17x15 for

bu to be 21. 22. 27. 28

Land meeting 2^d cut

E. on a random line

between loc 22 & 27

Ta 14° 45' E

40.00 Set temporary 1/4 bu

79.86 Intersect N. S. line 21 & 24

N. of bu. from which bu from

N. 89° 59. 00

374

P. 12. S. R. 62. W
on a true line

39.93 Set post in mound for 1/4 ba

79.86 The ba to be 21.22.27.28

Land selling 2nd rate

N. between Co 21.22

Pa 14° 15' E

40.00 Set Stone 16x12x11 for 1/4 ba

80.00 Set Stone 18x12x8 for ba

to be 15.16.21.22

Land selling 2nd rate

E. on a random line
between Co 15.22

Pa 14° 45' E

40.00 Set temporary 1/4 ba

79.97 Intersect N. S. line 23

lts N. of ba

from which Co 20

N. 89° 50' W

on a true line

375

P. 12. S. R. 62. W

39.98 Set post in mound for 1/4 ba

79.97 The ba to be 15.16.21.22

Land selling 2nd rate

N. between Co 15.16

Pa 14° 15' E

40.00 Set Stone 16x16x14 for 1/4 ba

80.00 Set post in mound for

ba to be 9.10.15.16

Land selling 2nd rate

E. on a random line
between Co 19.15

Pa 14° 45' E

40.00 Set post for temporary 1/4 ba

80.12 Intersect N. S. line 7 lts

N. of ba.

from which Co 20

N. 89° 57' W

on a true line

40.06 Set post in mound for 1/4 ba

376

T. 12. S. R. 62.08

80.12 The bar to be 9.10.15.16
Land rolling 2^d rate

N. between loc 9.10

(Va 14° 15' E)

40.00 Let time 20x12x3 for 1/4 bar

80.00 Let for monument for
bar to be 3.4.9.10Land rolling 2^d rateE. on a random line
between loc 3.10

(Va 14° 45' E)

40.00 Let temporary 1/4 bar

80.02 Intersect N. line of Sp. 7

N. of bar. from which bar runs

U. 89° 52' 08"

on a true line

40.01 Let for monument for 1/4 bar

80.02 The bar to be 3.4.9.10

Land rolling 2^d rate

377.

T. 12. S. R. 62.08

N. on a random line
between loc 3.10

(Va 14° 15' E)

40.00 Let temporary 1/4 bar

78.67 Intersect N. line of Sp. 7

E. of bar.

from which bar runs
S. 0° 3' E

on a true line

78.67 Let for monument for 1/4 bar

78.67 The to be 3.4.9.10

Land rolling 1.2.3^d rate

Reg. Buffalo Ranch

+ Prairie grass

Sal Saver.

Sep 20. 1871

N. between loc 32.33

(Va 14° 15' E)

40.00 Let for monument for 1/4 bar

80.00 Let time 18x14x14 for bar

T. 12. S. R. 62. W
to loc 28. 29. 32, 33
Land selling 2nd rate

C. on a random line
between loc 28, 33

Ta 14" 45' E

40.00 Set temporary 1/4 ba
79.88 Intersect N. S. line 7th
S. of ba from which ba run

S. 89° 57' W

on a true line

79.94 Set post in mound for 1/4 ba
88 The ba to loc 28. 29. 32. 33
Land selling 2nd rate

N. between loc 28, 29

Ta 14" 15' E

00 Set stone 18 x 14 x 3 for 1/4 ba
00 Set stone 19 x 14 x 6 for ba
to loc 20. 21. 28. 29
Land selling 2nd rate

T. 12. S. R. 62. W

C. on a random line
between loc 21, 28

Ta 14" 45' E

40.00 Set temporary 1/4 ba
79.96 Intersect N. S. line 18th
S. of ba.

from which ba. run
S. 89° 52' W

on a true line

39.98 Set post in mound for 1/4 ba.
79.96 The ba to loc 20. 21. 28. 29
Land selling 2nd rate

N. between loc 20, 21

Ta 14" 15' E

40.00 Set stone 12 x 8 x 6 for 1/4 ba
80.00 Set stone 15 x 8 x 8 for ba
to loc 16. 17. 20. 21

Land selling 2nd rate
Reg. Prof. - go as

P. 12. S. R. 62. 00
 E. on a random line
 between loc 16 & 21

Va 14° 45' E

40.00 Set temporary 1/4 cu
 80.00 Intersect N. S. line 3 lks
 S. of bar. from which bar line
 S. 89° 59' 00"

on a true line

40.00 Set Stone 12 x 11 x 4 for 1/4 cu
 80.00 The bar to loc 16, 17, 20, 21
 Land rolling 2nd rate

N. between loc 16 & 17

Va 14° 15' E

40.00 Set Stone 19 x 18 x 3 for 1/4 cu
 80.00 Set Stone 20 x 8 x 8 for bar
 to loc 8, 9, 16, 17
 Land rolling 2nd rate
 Veg. Bush grass

P. 12. S. R. 62. 00
 E. on a random line
 between loc 9 & 16

Va 14° 45' E

40.00 Set temporary 1/4 cu
 80.12 Intersect N. S. line 27 lks
 S. of bar. from which bar line
 S. 89° 48' 00"

on a true line

40.06 Set post in corner for 1/4 cu
 80.12 The bar to loc 8, 9, 16, 17
 Land rolling 2nd rate
 Veg. Bush grass

N. between loc 8 & 9

Va 14° 15' E

40.00 Set Stone 16 x 14 x 4 for 1/4 cu
 80.11 Set Stone 18 x 8 x 3 for bar
 to loc 4, 5, 8, 9
 Land rolling 2nd rate
 Veg. Bush grass

D. 12 S. O. R. 62. 77

E. on a random line
between Sec 4 & 9

Var 14" 45' E

41.111 Set temporary 1/4 cor

80.117 Intersect N. S. line 9th
S. of cor.

from which cor 20m
S. 89° 56' 00"

on a true line

41.113 Set Stone 18 x 12 x 4 1/2 ft 1/4 cor

80.117 The cor to Sec 4. S. 89° 56' 00"

Land rolling 2nd rate

N. on a random line
between Sec 4 & 5

Var 14" 15' E

41.114 Set temporary 1/4 cor

79.111 Intersect N. line of T

38 lks E. of cor

from which cor 20m
S. 90° 16' E

D. 12. S. O. R. 62. 77

on a true line

39.111 Set Stone 18 x 14 x 4 1/2 ft 1/4 cor

79.111 The cor to Sec 4. S. 89° 56' 00"

Land rolling 2nd rate
Veg Much of f. grass

Soil Sandy

Sept 21. 1871

N. between Sec 3, 1, 32

Var 14" 15' E

41.111 Set Stone 18 x 16 x 4 1/2 ft 1/4 cor

80.111 Set Stone 20 x 12 x 5 ft 1/4 cor

to Sec 29. 30. 31. 32

Land rolling 2nd rate

E. on a random line
between Sec 29 & 32

Var 14" 45' E

41.111 Set temporary 1/4 cor

80.116 Intersect N. S. line 13 lks

N. of cor.

T. 12. S. R. 62. 77
 from which Coa Town
 N. $89^{\circ} 54'$ W
 on a true line

41.18 Set post in mound for 1/4 Coa
 81.16 The Coa to be 29. 30. 31. 32
 Land selling 2^d rate

W. on a random line
 between Co. 30. 31

(Va $14^{\circ} 45'$ E)

41.10 Set temporary 1/4 Coa
 59.01 Dry bed of creek S.E.
 79.38 Intersect W. line of 77
 3 1/4 N. of Coa
 from which Coa Town
 N. $89^{\circ} 59'$ E
 on a true line

39.38 Set post in mound for 1/4 Coa
 79.38 The Coa to be 29. 30. 31. 32
 Land selling 2^d rate

T. 12. S. R. 62. 77
 N. between Co. 29. 30
 Va $14^{\circ} 15'$ E

41.11 Set stone $15 \times 15 \times 3$ for 1/4 Coa
 81.11 Set .. $17 \times 14 \times 5$ for Coa
 to be 19. 20. 29. 30
 Land selling 2^d rate

E. on a random line
 between Co. 20. 29

(Va $14^{\circ} 45'$ E)

41.11 Set temporary 1/4 Coa
 81.03 Intersect N. S. line 23 etc.
 N. of Coa. from which Coa Town
 N. $89^{\circ} 50'$ W
 on a true line

41.11 Set stone $16 \times 12 \times 12$ for 1/4 Coa
 81.13 The Coa to be 19. 20. 29. 30
 Land selling 2^d rate
 Veg. Much Prof grass

T. 12. S. R. 62. 88

W. on a random line
between Sec 19, 30

Var $14^{\circ}45' E$

40.00 Set temporary $1/4$ cor

79.16 Intersect W. line of T. 12
S. of Cor.

from which Cor Iron
S. $89^{\circ}55' E$

on a true line

39.16 Set Stone $18 \times 12 \times 6$ ft $1/4$ cor

79.16 The Cor to Sec 19, 20, 29, 30
Land selling 2^d rate

N. between Sec 19, 20

Var $14^{\circ}15' E$

40.00 Set Stone $16 \times 14 \times 3$ ft $1/4$ cor

80.00 Set Stone $18 \times 16 \times 4$ ft
to Sec 17, 18, 19, 20

Land selling 2^d rate

T. 12. S. R. 62. 88

E. on a random line
between Sec 17, 20

Var $14^{\circ}45' E$

40.00 Set temporary $1/4$ cor

79.92 Intersect N. S. line 11 E
N. of Cor. from which Cor Iron

N. $89^{\circ}55' W$

on a true line

39.96 Set post in mound for $1/4$ cor

79.92 The Cor to Sec 17, 18, 19, 20
Land selling 2^d rate

W. on a random line
between Sec 18, 19

Var $14^{\circ}45' E$

40.00 Set temporary $1/4$ cor

79.22 Intersect W. line of T. 8 E
N. of Cor. from which Cor Iron

N. $89^{\circ}57' E$

on a true line

39.22 Set post in mound for $1/4$ cor

T. 12 S. R. 62. W
 79.21 The Co to be 17, 18, 19, 20
 Land selling 2^d rate
 Veg. Buff & much grass
 Sept. 22, 1891

N. between Co 17, 18
 Va 14° 15' E

40.00 Let Stone 16 x 12 x 4 ft 1/4 bu
 80.00 Let Stone 20 x 12 x 5 ft 1/4 bu
 to be 7, 8, 17, 18
 Land selling 2^d rate

E. on a random line
 between Co 8 & 17
 Va 14° 45' E

40.00 Let temporary 1/4 bu
 79.98 Intersect N. & S. line 17th &
 N. of Co.
 from which Co Iron
 N. 89° 53' W
 on a true line

T. 12. S. R. 62. W
 39.99 Let part in maine for 1/4 bu
 79.98 The Co to be 7, 8, 17, 18
 Land selling 2^d rate

N. on a random line
 between Co 7 & 18
 Va 14° 45' E

40.00 Let temporary 1/4 bu
 79.37 Intersect N. line of Tp
 8 & S. of Co
 from which Co Iron
 S. 89° 57' E
 on a true line

39.37 Let Stone 16 x 16 x 3 ft 1/4 bu
 79.37 The Co to be 7, 8, 17, 18
 Land selling 2^d rate
 Veg. Buffalo & much grass

N. between Co 7, 8
 Va 14° 15' E

40.00 Let Stone 15 x 14 x 8 ft 1/4 bu

S. 12. S. R. 62 W

80.00 Set true 19x13x4 ft 1/4 ba
to sec 5, 6, 7, 8
Land selling 2^d rate

E. on a random line
between Sec 5 & 8

N. 14° 45' E

40.00 Set temporary 1/4 ba

80.05 Intersect N.W. line of 6th
N. of ba. from which ba run
N. 89° 57' W

on a true line

40.02 Set true 20x18x4 ft 1/4 ba

80.05 The ba to be 5, 6, 7, 8
Land selling 2^d rate

W. on a random line
between Sec 6 & 7

N. 14° 45' E

40.00 Set temporary 1/4 ba

49.67 Intersect W. line of 8th
7th N. of ba.

S. 12. S. R. 62 W

from which ba run
N. 89° 57' E

on a true line

39.67 Set post in mound ft 1/4 ba

49.67 The ba to be 5, 6, 7, 8
Land selling 2^d rate

N. on a random line
between Sec 5 & 6

N. 14° 15' E

40.00 Set temporary 1/4 ba

49.57 Intersect N. line of 7th 18th
E. of ba. from which ba run
S. 11° 8' E

on a true line

39.57 Set post in mound ft 1/4 ba

49.57 The ba to be 5, 6, 7, 8
Land selling 2^d, 3^d rate

Veg. Buffalo & much grass
Int. land

Sept 23, 1871

D. 12 S. 0 6 2.08
General Description

The surface of this Sp
is rolling. The
Soil 2^d & 3^d are
and somewhat sandy
The prairie are
Brunch & Buffalo
of good quality

T. 11. S. R. 64. W
General Description

The surface of this Tp
is rolling, the Eastern
portion being somewhat
broken by ravines.

The grass is good.
but there is no water

We hereby certify that we assisted
William A. Christian Deputy Surveyor
in surveying the Subdivision
lines of Tps. 13, 14 & 15. S. R. 63. 64 W
Tps. 12 & 16. S. R. 63. W. Tps. 16 & 17 S. R. 64
T. 12 S. R. 62. Tps. 11. S. R. 60 & 61. W

and that said Tps. have been in
all respects to the best of our knowl-
edge and belief well and faithfully
surveyed and the boundary monuments
planted according to the instructions
furnished by the Surveyor General.

J. H. Hancock } Chairman
Marret. Vigil }
J. Mario Montano }
Buente Guano } Flagman

Subscribed, and sworn to by the
above named persons before me
a Justice of the Peace for the
County of Pueblo in the Territory
of Colorado this 14th day of
Oct 1871

E. M. Hepburn
Probate Judge & Ex officio J. P.

J. William A. Christians deputy
surveyor do solemnly swear that
in pursuance of a contract with
H. W. Leasing, Surveyor of the
Public lands of the United
States in the Territory of Colorado
bearing date the 14th day of
June 7 and in strict conformity
to the laws of the United States
and the instructions furnished by
the said Surveyor General, I
have faithfully surveyed the
subdivisional lines of Tps.
13, 14, 15, S. R. 63, 64, N. T. 12, 16
S. R. 63, N. T. 16-17, R. 64, N
T. 12, S. R. 62, N. T. 11, S. R. 60, 61
in the Territory aforesaid and do
further solemnly swear that the
foregoing are true and original
notes of such surveys.

Subscribed by the said Mr.
 A. Christian Deputy Surveyor, and
 sworn to before me a Justice of
 the Peace for the County of Pueblo
 in the Territory of Colorado
 the 14th day of Oct 1871

G. M. Hepburn Secy
 Probate Judge & Ex-officio J. P.

Surveyor General's Office
 (Dec 23rd Dec 23, 1871)

The foregoing field notes
 of Survey of Sub. Lines of
 Tps 13, 14, 15, S. R. 63, 64, W
 Tps 12, 16, S. R. 63, W. Tps
 16 & 17, S. R. 64, W. Tps
 12, S. R. 62, W. Tps 11, S.
 R. 60 & 61, W. dictated
 by Wm A. Christian. W. A.
 Christian under his contract
 of June 14, 1871. Having
 been critically examined
 the necessary corrections & ex-
 planations made, the said
 field notes & the survey there-
 on described are hereby approved

Surveyor General
 Colorado

Field Notes

of Survey of Exterior Lines
of Tps. 11. S. R3 57. 58. 59. 60. 61.
of Tps 12. 13. 14. 15. S. Ranges
57. 58. 59. 60. 61. 62. of Tps
16. 17. S. R3 59. 60. 61. 62. 63. 64.
of Tps. 18. 19. S. R3 59. 60. 61. 62. 63. Tps. 20
S. R3 59. 60. 61. 62.
after 6th Jan. Me. in Col. Sec
by Jacob H. Martz
Asst. Surveyor
made Contract of June 14, 1871
Survey begun July 2, 1871
Completed Sep 17, 1871

E. boundary T. 13. S. R. 62
N. between Sec 13, 18
Va 14° E

41.11 Let part in mound with claim
State for 1/4 Sec 62

81.11 Let Stone 17x2x8 for 62 to
Sec 7, 12, 13, 18

Land rolling 2^d rate

N. between Sec 7, 12
Va 14° E

41.11 Let part in mound with claim
State for 1/4 Sec 62

81.11 Let Stone 23x14x3 for 62
to Sec 1, 6, 7, 12

Land rolling 2^d rate

N. between Sec 1, 6
Va 14° E

41.11 Let part in mound with claim
State for 1/4 Sec 62

46.41 Dry bed of creek runs S E

N. boundary T. 13. S. R. 62. 88
80.00 Let Stone 31x12x4 for 62
to Tps 12 & 13. S. Ranges
61 & 62. 88

Land rolling 2^d rate
Veg 1 bunch & 2 pairs grass

From last named br. Run
on a random line
along the N. boundary T.
13, S. R. 62. 88

Va 14° 45' E

Setting temporary mile and
half mile posts and at
5 miles 79 Ch. intersect
N. line 110 Ch. N. of 62
there for my connection
will be 18 Ch. 1/2 mile
from this for 62

On a true line
between Sec 6 & 31
Va 14° 53' E

N. boundary T. 13. S. R. 62. W
39.00 Let part in mound with Chaud
State for $\frac{1}{4}$ acba

49.00 Let Stone $20 \times 11 \times 6$ for Cato
Sec 5. 6. 31, 32

Land selling 2^d date

E. between Sec 5 & 32
Ta $14^{\circ} 53' E$

41.00 Let Stone $18 \times 8 \times 3$ for $\frac{1}{4}$ acba

80.11 Let Stone $20 \times 8 \times 6$ for Cato
Sec 4. 5. 32 & 33

Land selling 2^d date

E. between Sec 4 & 33
Ta $14^{\circ} 53' E$

27.60 Prairie corner S.

40.11 Let Stone $18 \times 10 \times 3$ for $\frac{1}{4}$ acba

81.11 Let granite St. $20 \times 12 \times 3$ for
Cato Sec 3. 4. 33 & 34

Land selling 2^d date

N. boundary T. 13. S. R. 62. W
E. between Sec 3 & 34
Ta $14^{\circ} 53' E$

41.11 Let Stone $18 \times 10 \times 3$ for $\frac{1}{4}$ acba

80.10 Let Stone $22 \times 13 \times 3$ for Cato
Sec. 2, 3. 34 & 35

Land selling 2^d date

E. between Sec 2 & 35
Ta $14^{\circ} 53' E$

40.11 Let part in mound with
Chaud State for $\frac{1}{4}$ acba

80.10 Let Stone $18 \times 14 \times 3$ for Cato
Sec 1. 2. 35 & 36

Land selling 2^d date

E. between Sec 1 & 36
Ta $14^{\circ} 53' E$

40.11 Let Stone $18 \times 10 \times 3$ for $\frac{1}{4}$ acba

77.00 Dry creek corner S. E

80.11 The Cato Tn. 12 & 13. S
R. 61 & 62. W

E. boundary T. 12. S. R. 62. W
 Land selling 2^d date
 Reg. Birch, Prairie Land
 grass, Mesquero, Sage
 brush & Soap weed
 Aug 9, 1871

From the Cor to Sp. 12 & 3. S
 R. 61 & 62. 00. Down
 N. on a true line
 between Sec 31, 36
 Va 14° 15' E

40.00 Let Stone 20x8x8 for 1/4 Sec 36
 80.00 Let Stone 14x16x6 for Sec
 to Sec 25, 30, 31, 36
 Land selling 2^d date

N. between Sec 25, 30
 Va 14° 15' E

40.00 Let Stone 16x14x3 for 1/4 Sec 36
 80.00 Let Stone 20x12x3 for Sec to
 Sec 19, 24, 25, 30

E. boundary T. 12. S. R. 62. W
 N. between Sec 19, 24
 Va 14° 15' E

40.00 Let Stone 12x12x3 for 1/4 Sec 36
 80.00 Let Stone 22x8x6 for Sec
 to Sec 18, 19, 24

Land selling 2^d date
 Reg. Birch & Prairie grass

N. between Sec 13, 18
 Va 14° 15' E

40.00 Let Stone 16x15x4 for 1/4 Sec 36
 80.00 Let Stone 18x15x4 for Sec to
 Sec 7, 12, 13, 18

Land selling 2^d date

N. between Sec 7, 12
 Va 14° 15' E

40.00 Let Stone 14x14x4 for 1/4 Sec 36
 80.00 Let Stone 19x16x3 for Sec.
 to Sec 1, 6, 7, 12
 Land selling 2^d date

E. boundary T. 12 S. R. 62. 00
 N. between Sec 1 & 6
 on a random line
 Ta 14° 15' E

40.00 Set Stone 17x15x2 ft. for corner

77.25 Intersect Co. to T. 11 1/2

S. R. 61 & 62. 00. 28 lks

W. of Cor. from mt. Cr. Inn

T. 12 1/2 N. on a true line

37.25 Set Stone 17x15x2 ft. for corner

77.25 The Co. to Sec 1, 6, 7 & 12

Land booked 2^d rate

Aug 10. 1871

From Stand. Co. to T. 15 S. R. 61 & 62. 00. on

the 3^d corner line South

In N. on a true line

between Sec 3, 1, 3 & 6

Ta 15° 30' E

40.00 Set post in mound with chain

State for 1/4 Sec 6

80.00 Set post in mound with chain

E. boundary T. 15 S. R. 61. 00

State for Co. to be 25. 30. 31 & 36

Land selling 2^d rate

Reg. Fmch & Farming grass

N. between Sec 25 & 30

Ta 15° 30' E

40.00 Set post in mound with chain

State for 1/4 Sec 6

80.00 Set post in mound with chain

State for Co. to Sec 19. 24. 25 & 30

Land selling 2^d rate

N. between Sec 19, 24

Ta 15° 30' E

40.00 Set post in mound with chain

State for 1/4 Sec 6

80.00 Set post in mound with chain

State for Co. to Sec 13, 18, 19, 24

Land selling 3^d rate

Reg. Fmch & Farming grass

We hereby certify that we assisted
 Jacob B. Matley, deputy Surveyor
 in surveying the exterior lines of
 Tps 11, S. R's 57, 58, 59, 60 & 61. W.
 Tps 12, 13, 14 & 15, S. R's 57, 58, 59
 60, 61, 62. W. Tps 16 & 17, S. R's 59, 60, 61
 62, 63 & 64 W. Tps 18 & 19, S. R's ⁵⁹ 60, 61, 62, 63
 and Tps 20, S. R's 59, 60, 61, W. in Col. 1, ^{of the 6th Prin}

and that said Tps. have been
 in all respects to the best of our
 knowledge and belief well and
 faithfully surveyed and the bound-
 ary monuments planted accord-
 ing to the instructions furnished by
 the Surveyor General.

George Holton, Chairman
 John Laosh
 James Dockett, Chairman
 Co. Carl Beerman, Flagman

2.0A
Subscribed and sworn to by the
above named persons before me
this 19th day of Sept. 1891

Oliver Brooks Seal
Notary State Comm.

360B

J. Jacob H. Martz, Dep. Surveyor,
do solemnly swear, that in pursuance
a contract with Wm H. Loring, Surveyor
of the Public lands of the U. S. in the Ter.
Colorado, I have faithfully surveyed
exterior lines of Tps 11, S. R. 57, 58, 59, 60
of Tps 12, 13, 14, 15, S. R. 57, 58, 59, 60,
Tps 16, 17, S. R. 59, 60, 61, 62, 63,
Tps 18, 19, S. R. 59, 60, 61, 62, 63,
20, S. R. 59, 60, 61, 62, of the 6th
Mer. in the Ter of Colorado, in
contract bearing date June 14, 18
and said survey being in strict confor-
mity to the laws of the United States
and the instructions of the Surveyor
General, and I further solemnly swear
that the foregoing are the true
original field notes of such survey.

Jacob H. Martz
Deputy Surveyor

il C

Subscribed by said Jacob W Martz
Deputy Surveyor and sworn to before
me this 19th day of Sept 1871

Owen Brooks Test
United States Comr

260 D

Surveyor General's Office
Denver Co. D. Oct 21, 1871

The foregoing field notes
of Survey of T. lines of
Tps. 11. S. Rs 57. 58 59. 60. 61
of Tps 12. 13. 14. 15. S. Rs
57. 58. 59. 60. 61. 62. &c.
of Tps 16 + 17. S. Rs 59. 60.
61. 62. 63. 64 &c. of Tps
18 + 19. S. Rs 59. 60. 61. 62. 63.
&c. of Tps 20. S. Rs 59. 60. 61
&c. of the 6th Prin. Mer.
in Colorado Ter. executed
by J. H. Martz, dep. Sur.
under his contract of
June 14, 1871. having been
critically examined, the
necessary corrections
or explanations made,
the said field notes

i 260 E

and the surveys they
describe are hereby
approved

Survey of General
of Colorado