

R. 62.W.


R. 61.W.

R. 60.W.

R. 59.W.

R. 58.W.

R. 57.W.

2nd COR: LINE SOUTH

T. 11.S.

T. 12.S.

T. 13.S.

T. 14.S.

T. 15.S.

7th GUIDE WEST3rd COR: LINE SOUTH

Amount of Survey Townships 222 M: 07 Ch: 26 Lk:
Connections 16 95


Survey commenced August, 5th 1871
completed September, 17th 1871

I hereby certify that the above Diagram of the Exterior Lines of Townships 11 South Ranges 57 58 59 60 & 61, of Townships 12, 13, 14 & 15 South Ranges 57, 58, 59, 60, 61 & 62 West of the 6th Principal Meridian in Colorado as surveyed by Jacob H. Mark, under his contract of June 14th 1871 is strictly conformable to the field notes of the Survey thereof on file in this Office, which have been examined and approved.

Surveyor General's Office
Denver (7. October, 21st 1871.

J. H. Lewis.
Surveyor General.

Township No. 13 South Range No. 62. West of the 6th Principal Meridian.



22,978.31 Total number of Acres.

Scale, 40 chains to an inch.

Survey Designated.	By whom Surveyed.	Date of Contract.	Amount of Survey.	When Surveyed.
Township	Jac. H. Martz	June 14 th 1871	M. Chs. Lks.	1871
Sub-division.	" " "	July 5 th 1872	59° 74° 77°	August 4 th to 9 th 1872

The above Map of Township No. 13 South of Range No. 62 West of the 6th Principal Meridian, in Colorado, is strictly conformable to the field notes of the survey thereof on file in this office, which have been examined and approved.

SURVEYOR GENERAL'S OFFICE,
Denver, C. T., September 14th 1872

Surveyor General.

BUREAU OF LAND MANAGEMENT

COLORADO

RECTANGULAR SURVEY INDEX

PRINTED: 02/24/76

BOUNDARY	TOWNSHIP 13 VOLUME	SOUTH		RANGE 62		WEST		TYPE CONTRACT	ISSUED OR	- SIXTH PRIN MER		SURVEYOR OR REMARKS
		INTRODUCTION		SURVEY		CERTIFICATE				SURVEY		
		FROM	TO	FROM	TO	FROM	TO	OR GROUP	APPROVED	YEAR	APPROVED	
NORTH	R-A	67	67	70	70	93	99	ORG	06/10/1867	1867	07/10/1867	C A DEANE
NORTH	R0008	1	1	138	142	260	260E	ORG	06/14/1871	1871	10/21/1871	J H MARTZ
SOUTH	R-A	49	49	61	62	93	99	ORG	06/10/1867	1867	07/10/1867	C A DEANE
SOUTH	R0008	1	1	133	136	260	260E	ORG	06/14/1871	1871	10/21/1871	J H MARTZ
EAST	R0008	1	1	133	133	260	260E	ORG	06/14/1871	1871	10/21/1871	J H MARTZ
EAST	R0008	1	1	136	139	260	260E	ORG	06/14/1871	1871	10/21/1871	J H MARTZ
WEST	R-A	49	49	61	62	93	99	ORG	06/10/1867	1867	07/10/1867	C A DEANE
WEST	R-A	67	67	67	70	93	99	ORG	06/10/1867	1867	07/10/1867	C A DEANE
SUBDIVISION	R0013	464A	466A	467A	499A	634	638	ORG	07/05/1872	1872	09/14/1872	J H MARTZ

Yp 15 S. R 63 W.

Yield Notes of the
exterior lines of Town-
ships 13, 14 & 15 in
Range 63. West.

From the Stone cor-
ner to Township 15 S
Ranges 63 and ⁶² West
I run N between Secs

31. and 36. at a

Qu. of 16° 30' East.

40.00 Set a Sandstone 16x10x4
for 1/4 Sec. Garner.

8.00 Set a Sandstone 15x
9x4 for corner to Secs

Ent say $\frac{1}{4}$ S R 63 W.

North between Sees 13 & 15.

Bear, $15^{\circ}15'$ East

40.00 Set a Post in mound
and marked Stone
for $\frac{1}{4}$ Sec. corner

80.00 Set a Post in mound
and marked Stone
for corner to Sees 12
13 and 15.

Land nearly level
2nd rate

Very Bunch grass.

North between

Sees 7, and 12

Bear $15^{\circ}15'$ East.

40.00 Set a Post in mound
and marked Stone
for $\frac{1}{4}$ Sec corner.

80.00 Set a Post in mound
and marked Stone
for corner to Sees

Ent say $\frac{1}{4}$ S R 63 W?

1, 6, 7, and 12.

Land nearly level 2nd rate
veg. buffalo and
bunch grass

North between

Sees 1 and 6

Bear, $15^{\circ}15'$ East.

40.00 Set a Post in mound
and charred stake
for $\frac{1}{4}$ Sec. corner.

40.00 Squirrel Creek.
course S. E.

Creek spreads out
over a large bottom
and has no defined
banks or course.

80.00 Set a Post in mound
and marked Stone
for corner to Sees 1, 6,
3, and 36 in Town
ships 13. and 14 S

North Rdy T. 14 S. R. 63 W.

Ranges 62, and 63 N.
Land nearly level & ~~low~~
veg. bunch grass

X

From the corner to
Townships 13 and
14 South, Ranges
62 and 63 West, I
run on a random line
West along the North
boundary of Town-
ship 14 S Range
63 West, at a
Bearing of 15° East,
Setting temporary
Pots every 40 and 80
chains, and at 400,
63 chains intersect
N. & S. line at a
point 1, 67 lbs.

North Rdy T. 14 S. R. 63 W.

of corner to Town-
ships 13 and 14 South
in Ranges 63 and 64
West, from which
corner I run S. 88°
 $48'$ East on a true
line at a

Bearing of 15° East, and at
40, 67 Set a Post in mound
and marked stone for
 $1/4$ Sec. Corner

80, 67 Set a Post in mound
and marked stone
for corner to Secs 1, 6
31, and 32.

Land rolling & ~~low~~
veg. bunch grass

East along the South
boundary of Sec. 32.

Bearing 15° East.

4000 Set a Post in mound

North Bay $\frac{1}{4}$ 14 S. R 63 West

boundary of Sec. 36.
Bearing 15° East

40.00 At a Port in mound
and marked stone

for $\frac{1}{4}$ Sec. corner S.E.
Squirrel Creek corner

46.00

80.00

The corner to Town-
ships 13, and 14 South
Ranges 62 and 63 West
Land nearly level. State
veg. bunch grass.

X

The land in this Town-
ship is gently rolling,
and generally covered
with a stunted growth
of bunch grass and
sage brush. No
water or wood is
found in this Township.
June 27th 1867.

East Bay $\frac{1}{4}$ 13 S. R 63 W.

Field Notes of the
terrace lines of Town-
ship 13 S. R. 63 W.

X

^{part}
From the Port cor-
ner to Townships
13, and 14 S. R. 63 West,
Town

North between Secs.

31, and 36 at a
Bearing of 15° East

40.00

At a Conglomerate
Stone 14x11x4 for
 $\frac{1}{4}$ Sec. corner.

80.00

At a Conglomerate
Stone 7x13x5

E. Bay Tp. 13 S. R. 63 W.

for corner to Sec 25:
30, 31, and 36
Land nearly level
2 $\frac{1}{2}$ ft. water
veg bunch grass

North between Secs 25 & 30
Bear 15° East

4000 Set a conglomerate
stone 14 x 13 x 5 for
1/4 Sec. corner

8000 Set a conglomerate
stone 16 x 9 x 5 for
corner to Secs 18, 24, 25 & 30
Land gently rolling 2 $\frac{1}{2}$ ft. water
veg bunch grass

North between Secs 24 & 25
Bear 15° East.

4000 Set a conglomerate
stone 16 x 8 x 4 for
1/4 Sec. corner

E. Bay Tp. 13 S. R. 63 W.

8000 Set a conglomerate
stone 15 x 10 x 6 for corner
to Secs 13, 18, 19 and 24
Land nearly level 2 $\frac{1}{2}$ ft. water
veg bunch grass

North between Secs 18 & 19
Bear 15° East.

4000 Set a conglomerate
stone 15 x 10 x 5 for
1/4 Sec. corner.

8000 Set a conglomerate
stone 14 x 11 x 4 for
corner to Secs 7, 12, 13 & 18
Land rolling 2 $\frac{1}{2}$ ft. water
veg bunch grass.

North between Secs 12 & 18
Bear 15° East.

4000 Set a conglomerate
stone 14 x 10 x 4 for
1/4 Sec. corner.

E. Bdy Twp. 13 S. R. 6 & 3 W.

8000 Set a conglomerate
stone $14 \times 11 \times 6$ for
corner to Secs 1, 6, 7 & 12
Land nearly level that
veg. bunch grass

North between Secs 1 & 6
ua. 15° East

4000 Set a conglomerate
stone $16 \times 9 \times 7$ for
 $\frac{1}{4}$ Sec. corner.

8000 Set a conglomerate
stone $20 \times 15 \times 6$
for corner to Secs.
1, 6, 31, 93 & in
Townships 12 and
13 South Ranges
63 and 64 West
Land rolling. Rate
veg bunch grass

North Bdy Twp. 13 S. R. 63 W.

From the corner
to Townships 12,
and 13 S. Ranges 62,
and 63 West. Run.

West on a ran-
dom line on the
North boundary
of Township 13
S. Range 63 West,
setting temporary
stone every 40 and
80 chains, at a
ua. of 15° East,
and at 479, 22 chains
intersect N. and S.
line at a point
87 lbs N of corner
to Townships 12,
and 13 South, Ranges
63 and 64 West,
from which corner
I run N. $88^\circ 54' 6''$

I hereby certify that I
 assisted Cecil A. Deane
 Deputy Surveyor in survey-
 ing the exterior lines of
 Townships 11, 12, 13, 14 & 15
 South, Ranges 64 & 65 West
 of the 6th Principal Meridian
 also the 3^d correction line
 South, for a distance of 24
 miles East from the 8th
 Guide Meridian in Colorado
 And that said survey, was
 well and faithfully
 executed and the boundary
 monuments have been
 placed according to the in-
 structions furnished by the
 Surveyor General.


Frank Mattes
 Esq. Agent

Territory of Colorado
 County of Otero, ss. Sub
 scribed and sworn

to be fore me this Third
day of July 1867

Return my hand and
Notarial Seal this 3^d
day of July 1867

John W Webster
Notary Public




We hereby certify that
we assisted Cecil A.
Lane, deputy Surveyor,
in surveying the exte-
rior lines of Town-
ships 11, 12, 13, 14 and
15 South, Ranges 63 and
64 West of the 6th Prin-
cipal Meridian; also
the 3rd correction line
South, for a distance of
24 miles East from
the 8th Guide Meridian
in Colorado, and that
said survey has been
well and faithfully
surveyed, and the bound-
ary monuments have
been planted according
to the instructions
furnished by the Sur-
veyor General.

D. L. Bridger
 Richard H. Long } Chairmen
 Wm. Plumber
 John W. Quire
 J. F. Morgan }
 James Fisher }

Territory of Colorado
 County of Garfield

Sworn and Subscribed
 to before me this 11th
 day of July, A.D. 1867
 My hand and
 Notarial Seal
 John W. Webster
 Notary Public



I Cecil A. Deane deputy
 Surveyor do solemnly
 swear that in pursuance
 of a contract with W. H.
 Leidy Surveyor General
 of the public lands of the
 United States in the Territory
 of Colorado, bearing date
 the 10th day of June 1867, and
 in strict conformity to the
 laws of the United States
 and the instructions fur-
 nished by said Surveyor
 General, I have faithfully
 surveyed the 3rd Correction
 line S. East from the 8th Guide
 Meridian 24 miles and
 the Extension line of the
 11. 12. 13. 14 & 15 S. R. 13 & 64
 N. of the 6th Principal
 Meridian in said
 Territory and do

further solemnly swear
that the foregoing are
the true and original
field notes of such sur-
vey

Cecil A. Deane.

Deputy Surveyor.

Territory of Colorado }
Atopah County }²¹

Subscribed
by said Cecil A. Deane deputy
surveyor and sworn to before
me this 14th day of July
A.D. 1867

Eli W. Ashley
Notary Public

Surveyor General's Office
Denver C.T. July 10th 1867

The foregoing field notes
of the survey of the 3rd Con.
line S.-E. from the 8th Guide
Mer. 24 miles and the Exter-
nal line of the 11, 12, 13, 14 & 15
S.R. 63 & 64 th. executed
by Cecil A. Deane, having
been critically examined
the necessary corrections &
explanations made the said
field notes and the surveys
they describe are hereby
approved.

J. D. D. Kessig
Surveyor General of
Colorado & Utah

E 32
S- 15
W 32

Book 8

Field Notes
of Survey of Extension Lines
of Tps. 11. S. R. 57. 58. 59. 60. 61.
of Tps. 12. 13. 14. 15. S. Ranges
57. 58. 59. 60. 61. 62. of Tps.
16. 17. S. R. 59. 60. 61. 62.
63. 64. of Tps. 18. 19. S. R. 6
59. 60. 61. 62. 63. T. 20
S. R. 59. 60. 61. T.
of the 6th Mer. in Bol. Ter.
by Jacob. O. Martz
Asst. Surveyor
under Contract of June 14, 1871
Survey begun July 2, 1871
Completed Sep 19, 1871

E. boundary T. 14. S. R. 62 W.
 fr Co to Sec 13, 18, 19, 24
 Land rolling 2^d state
 Veg. Bromegrass Cactus

N. between Sec 13, 18
 Va 15° E

40.00 Set post in mound with
 changed state for 1/4 Sec 18

80.00 Set post in mound with changed
 state for Sec 7, 12, 13, 18
 Land rolling 2^d state

N. between Sec 7, 12
 Va 15° E

40.00 Set post in mound with changed
 state for 1/4 Sec 18

80.00 Set stone 22 x 8 x 6 for Sec
 to Sec 1, 6, 7, 12
 Land rolling 2^d state
 Veg. Bromegrass

E. boundary T. 14. S. R. 62 W.
 N. between Sec 1, 6
 Va 15° E

18.50 Prairie. same as

40.00 Set post in mound with
 changed state for 1/4 Sec 18

80.00 Set sandstone 28 x 10 x 8
 for Sec to T. 13 + 14. S.
 R. 61, 62. W.

Land rolling 2^d + 3^d state
 Veg. Buffalo Bromegrass

From last named Sec
 2000

by a sandstone line
 along the N. boundary of
 T. 14. S. R. 62. W.

Va 14° 45' E

Setting temporary mile &
 half mile posts and at
 5 miles, 7 1/2 miles intersect
 N. line 36 E. S. Sec

N. boundary T. 14. S. R. 62. W.

therefore my correction
will be 6 1/4 N. per mile

From this cor. from

C. on a true line
between loc 6 & 31

(Va. 14° 42' E

37.00 Set post in mound with
chained state for 1/4 section

47.00 Set post in mound with
chained state for cor. to
loc 5, 6, 31, & 32

Land rolling 2^d & 3^d rate
Veg. bunch grass, weeds

E. between loc 5 & 32

(Va 14° 42' E

29.00 Dry bed of creek same S.

40.00 Set post in mound re for 1/4 section

80.00 Set post in mound with chained
state for cor. to loc 4, 5, 32, & 33
Land rolling 2^d rate

N. boundary T. 14. S. R. 62. W.

E. between loc 4 & 33

(Va 14° 42' E

40.00 Set post in mound with chained
state for 1/4 section

80.00 Set post in mound with chained
state for cor. to loc 3, 4, 33, & 34
Land rolling 2^d rate

E. between loc 3 & 34

(Va 14° 42' E

40.00 Set post in mound with chained
state for 1/4 section

80.00 Set post in mound with chained
state for cor. to loc 2, 3, 34, & 35
Land rolling 2^d rate

E. between loc 2 & 35

(Va 14° 42' E

3.50 Prairie same S.

40.00 Set post in mound with chained
state for 1/4 section

N. boundary T. 14. S. R. 62. W
 80.00 Set post in mound on the chand
 State for 1/4 Sec 1, 2, 3, 5, 36
 Land selling 2nd rate
 Veg. Prairie grass

E. between Sec 1, 36
 Va 14° 42' E

40.00 Set post in mound on the
 chand State for 1/4 Sec 1
 80.00 The bar to Sec 13, 14. S.
 R. 61 & 62. W
 Land hilly 3rd rate
 Aug 8, 1871

From bar to T. 13 & 14. S.
 R. 61 & 62. W. Down
 N. main line
 between Sec 31 & 36
 Va 14° E

40.00 Set post in mound on the chand
 State for 1/4 Sec 1

E. boundary T. 13. S. R. 62. W
 80.00 Set Sandstone 17x16x4 for
 for bar to Sec 25, 30, 31, 36
 Land selling 2nd rate

N. between Sec 25, 30
 Va 14° E

40.00 Set post in mound on the
 chand State for 1/4 Sec 1
 80.00 Set Stone 17x13x4 for bar
 to Sec 19, 24, 25 & 30
 Land selling 2nd rate

N. between Sec 19, 24
 Va 14° E

40.00 Set post in mound on the chand
 State for 1/4 Sec 1
 80.00 Set Stone 16x14x4 for bar
 to Sec 13, 18, 19, 24
 Land selling 2nd rate
 Veg. Prairie & Prairie grass

E. boundary T. 13. S. R. 62
N. between Sec 13 & 18
Va 14° E

41.11 Let for in mound with chain
State for 1/4 Sec 6a

81.11 Let Stone 17x12x8 for 6a to
Sec 7, 12, 13, 18

Land rolling 2^d rate

N. between Sec 7 & 12
Va 14° E

41.11 Let for in mound with chain
State for 1/4 Sec 6a

81.11 Let Stone 23x14x3 for 6a
to Sec 1, 6, 7, 12

Land rolling 2^d rate

N. between Sec 1 & 6
Va 14° E

41.11 Let for in mound with chain
State for 1/4 Sec 6a

46.41 Dry bed of creek from S E

N. boundary T. 13. S. R. 62. or
80.00 Let Stone 31x12x4 for 6a
to Tps 12 & 13; S. Range
61 & 62. or

Land rolling 2^d rate
Veg & much & fair grass

From last named br. In
or on a random line
along the N. boundary T.
13, S. R. 62. or

Va 14° 45' E

Setting temporary mile and
half mile posts and at
5 miles 79 chs. intersect
N. line 110 chs. N. of 6a
there for my connection
will be 18 chs. 5 for mile
From this br. down

E. on a true line
between Sec 6 & 31

Va 14° 53' E

N. boundary T. 13. S. R. 62. W.

39.00 Let post in mound with chain
state for $\frac{1}{4}$ section.

49.00 Let stone $20 \times 11 \times 6$ for corner
Sec 5. 6. 31, 32

Land selling 2^d date

E. between Sec 5 & 32

N. $14^{\circ} 53' E$

41.00 Let stone $18 \times 8 \times 3$ for $\frac{1}{4}$ section

80.11 Let stone $20 \times 8 \times 6$ for corner to
Sec 4. 5. 32 & 33

Land selling 2^d date

E. between Sec 4 & 33

N. $14^{\circ} 53' E$

27.60 Prairie corner S.

40.11 Let stone $18 \times 10 \times 3$ for $\frac{1}{4}$ section

81.11 Let granite St. $20 \times 12 \times 3$ for
corner to Sec 3. 4. 33 & 34

Land selling 2^d date

N. boundary T. 13. S. R. 62. W.

E. between Sec 3 & 34

N. $14^{\circ} 53' E$

41.11 Let stone $18 \times 10 \times 3$ for $\frac{1}{4}$ section

80.10 Let stone $22 \times 13 \times 3$ for corner to

Sec 2, 3, 34 & 35

Land selling 2^d date

E. between Sec 2 & 35

N. $14^{\circ} 53' E$

40.11 Let post in mound on the
chain state for $\frac{1}{4}$ section

80.10 Let stone $18 \times 14 \times 3$ for corner to
Sec 1, 2, 35 & 36

Land selling 2^d date

E. between Sec 1 & 36

N. $14^{\circ} 53' E$

41.11 Let stone $18 \times 10 \times 3$ for $\frac{1}{4}$ section

77.00 Dry creek corner S. E

80.11 The corner to Tn. 12 & 3. S

R. 61 & 62. W.

E. boundary T. 12. S. R. 62. W
 Land selling 2^d & 3^d rate
 Reg. Birch, Prairie Land
 grass, meadow Sage
 brush & soap weed
 Aug 9, 1871

From the cor to Sp. 12 W 3. S
 R 61 & 62. 00. Down
 N. mature line
 between Sec 31, 36
 Ta 14° 15' E

40.00 Let Stone 20x8x8 for 1/4 Sec 36
 80.00 Let Stone 14x16x6 for Sec
 to Sec 25, 30, 31 & 36
 Land selling 2^d rate

N. between Sec 25, 30
 Ta 14° 15' E

40.00 Let Stone 16x14x3 for 1/4 Sec 36
 80.00 Let Stone 20x12x3 for Sec to
 Sec 19, 24, 25 & 30

E. boundary T. 12. S. R. 62. W
 N. between Sec 9, 12 &
 Ta 14° 15' E

40.00 Let Stone 12x12x3 for 1/4 Sec 36
 80.00 Let Stone 22x8x6 for Sec
 to Sec 18, 18, 19, 24

Land selling 2^d rate
 Reg. Birch & Prairie grass

N. between Sec 13, 18
 Ta 14° 15' E

40.00 Let Stone 16x15x4 for 1/4 Sec 36
 80.00 Let Stone 18x15x4 for Sec to
 Sec 7, 12, 13 & 18

Land selling 2^d rate

N. between Sec 7, 12
 Ta 14° 15' E

40.00 Let Stone 14x14x4 for 1/4 Sec 36
 80.00 Let Stone 19x16x3 for Sec.
 to Sec 1, 6, 7 & 12
 Land selling 2^d rate

We hereby certify that we assisted
 Jacob H. Matley Deputy Surveyor
 in surveying the corner lines of
 Tps 11. S. R's 57. 58. 59. 60. 61. W
 Tps 12. 13. 14. 15. S. R's 57. 58. 59
 60. 61. 62. W. Tps 16. 17. S. R's 59. 60. 61
 62. 63. 64. W. Tps 18. 19. S. R's ⁵⁹ 60. 61. 62. 63
 and Tps 20. S. R's 59. 60. 61. W. ^{of the 6th Principal Meridian} in Col. Tex

and that said Tps. have been
 in all respects to the best of our
 knowledge and belief well and
 faithfully surveyed and the bound-
 ary monuments planted according
 to the instructions furnished by
 the Surveyor General.

George Holton Chapman
 John Laobert
 James Duckett Chapman
 Co Carl Bertram Flagman

260A

Subscribed and sworn to by the
above named persons before me
this 19th day of Sept. 1891

Oliver Brooks Seal
Notary State Conn.

260B

J. Jacob H. Martz, Dep. Surveyor
do solemnly swear that in pursuance of
a contract with Wm H. Lemig, Surveyor
of the Public lands of the U. S. in the Ter. of
Colorado, I have faithfully surveyed the
exterior lines of Tps 11, S. R. 57, 58, 59, 60, 61
of Tps 12, 13, 14, 15, S. R. 57, 58, 59, 60, 61, 62
Tps 16, 17, S. R. 59, 60, 61, 62, 63, 64
Tps 18, 19, S. R. 59, 60, 61, 62, 63, Tps
20, S. R. 59, 60, 61, 62, of the 6th Prim.
Mer. in the Ter of Colo do, said
Contract bearing date June 4, 1891,
and said survey being in strict conform-
mity to the laws of the United States
and the instructions of the Surveyor
General, and I further solemnly swear
that the foregoing are the true &
original field notes of such survey

Jacob H. Martz
Deputy Surveyor

20 C

Subscribed by said Jacob W. Murtz
Deputy Surveyor, and sworn to before
me this 19th day of Sept 1871

Oliver Brooks Seal
United States Comr.

260 D

Surveyor General's Office
Denver C. D. Oct 21. 1871

The foregoing field notes
of survey of T. lines of
T. 11. S. R. 57. 58. 59. 60. 61
of T. 12. 13. 14. 15. S. R. 57.
58. 59. 60. 61. 62. 77.
of T. 16. 17. S. R. 59. 60.
61. 62. 63. 64. 77. of T. 18.
19. S. R. 59. 60. 61. 62. 63.
of T. 20. S. R. 59. 60. 61.
of the 6th T. in Men,
in Colorado Ter. executed
by J. W. Murtz, dep. Sur.
under his contract of
June 14. 1871. having been
critically examined. the
necessary corrections
explanations made.
the said field notes

260 E

and the survey they
describe are hereby
approved

Survey of General
of Colorado

463A

464A

Field Notes
of Survey of Sub. lines of
Twp. 13. S. R. 16. W. 2. N.
the 6th Tm. Sec. in
Colorado Ter. by
Jacob H. Maitz
Dep. Surveyor
under his contract of Jul 5/72
Survey begun Aug 4/72
Completed " 7/72

466A

2 466A

Township 13 S. R. 62 W.

6	498 ⁰	5	489 ⁰	4	483 ⁰	3	478 ⁰	2	472 ⁰	1	
—	497 ⁰	—	497 ⁰	—	488 ⁰	—	483 ⁰	—	477 ⁰	—	471 ⁰
7	496 ⁰	8	488 ⁰	9	482 ⁰	10	477 ⁰	11	471 ⁰	12	
—	496 ⁰	—	495 ⁰	—	487 ⁰	—	482 ⁰	—	476 ⁰	—	470 ⁰
18	494 ⁰	17	487 ⁰	16	481 ⁰	15	476 ⁰	14	470 ⁰	13	
—	494 ⁰	—	493 ⁰	—	486 ⁰	—	481 ⁰	—	475 ⁰	—	469 ⁰
19	493 ⁰	20	486 ⁰	21	480 ⁰	22	475 ⁰	23	469 ⁰	24	
—	492 ⁰	—	491 ⁰	—	485 ⁰	—	480 ⁰	—	474 ⁰	—	468 ⁰
30	491 ⁰	29	485 ⁰	28	479 ⁰	27	474 ⁰	26	468 ⁰	25	
—	490 ⁰	—	490 ⁰	—	484 ⁰	—	479 ⁰	—	473 ⁰	—	467 ⁰
31	489 ⁰	32	484 ⁰	33	478 ⁰	34	473 ⁰	35	467 ⁰	36	

1111

467A

T. 13. S. R. 62. W.
 Having adjusted my
 Compass according to
 instructions, I begin on
 the Sunday of the 1st
 at the Co. to loc 35, 36
 and run

N. between loc 35, 36
 Pa 14° E

40.00 Set post in mound for loc
 48.50 Dry bed of brook. Neg. S. W.
 54.60 Same course S. 70° E
 80.00 Set post in mound for loc
 to loc 25, 26, 35, 36
 Land rolling 2 d rate
 Veg. Excellent grass

On a random line
 between loc 25, 36
 Pa 14° 45° E

40.00 Set post for temporary loc
 80.03 Intersect E. line of H. S. & S

468A

T. 13. S. R. 62. 00
 floor from which bar Iron
 S. 89° 58' 00"
 mature line

40.11 Let part in mound for 1/4 bar

80.03 The bar to be 25.26.35.36

Land rolling 24 rate
 Veg. Good grass

N. between loc 25.26

(A 14° E

29.20 Dry bed of brook. bar S. W.

40.00 Let part in mound for 1/4 bar

80.00 Let part in mound for bar
 to be 23.24.25.26

Land rolling 24 rate
 Veg. Much & young grass

On a random line
 between loc 24 & 25

(A 14° 45' E

5.40 Dry bed of brook. by S.

469A

T. 13. S. R. 62. 00

40.00 Let temporary 1/4 bar

80.07 Intersect E. line of 1/4 bar
 from which bar Iron
 W. mature line

40.03 Let part in mound for 1/4 bar

80.07 The bar to be 23.24.25.26

Land rolling 24 rate
 Veg. Grass

N. between loc 23.24

(A 14° E

40.00 Let part in mound for 1/4 bar

80.00 Let part in mound for
 for bar to be 13.14.23.24

Land rolling 24 rate
 Veg. grass & green mud

On a random line
 between loc 13 & 24

(A 14° 45' E

40.00 Let temporary 1/4 bar

470 A

T. 13 S. R. 62. 08

80.111 Intersect E. line of T. 5 & 4 S
of line from which line runs
S. 89° 58' 08"

on a true line

40.115 Set post in mound for 1/4 sec

80.111 The line to be 13.14.23.24
Land rolling 2nd rate

N. between sec 13.14
Ta 14° E

40.100 Set post in mound for 1/4 sec

80.111 Set post in mound for line to
Sec 11.12.13.14

Land rolling 2nd rate
Neg. grassy & bare

E. on a random line
between Sec 12 & 13
Ta 14° 45' E

40.111 Set temporary 1/4 sec

80.113 Intersect E. line of T. 13 & 4 S

471 A

T. 13 S. R. 62. 08

of line from which line runs
S. 89° 54' 08"

on a true line

40.116 Set post in mound for 1/4 sec

80.113 The line to be 11.12.13.14

Land hilly 2nd rate
Neg. Birch & Prairie grass

N. between sec 11.12
Ta 14° E

40.100 Set post in mound for 1/4 sec

80.111 Set post in mound for line
to Sec 1.2.11.12

Land hilly 3rd rate
Neg. Birch & Prairie grass

E. on a random line
between Sec 11 & 12
Ta 14° 45' E

40.111 Set temporary 1/4 sec

80.118 Intersect E. line of T. 17 & 4 S

472A

T. 13 S. R. 62. 00
 N. of loc. from which loc 1 was
 S. 89° 53' 00"

on a true line

40.09 Set point in mound for 1/4 loc

80.18 The loc to loc 1. 2. 11 11 2

Land hilly 3rd route

N. on a random line
 between loc 1 & 2

N. 14° E

40.10 Set temporary 1/4 loc

80.90 Intersect N. line 1/4 loc. 11 11 2

N. of loc. from which loc 1 was

S. 89° 53' 00"

on a true line

40.90 Set point in mound for 1/4 loc

80.90 The loc to loc 1. 2. 11 11 2

Land hilly 3rd route

Neg. good grass

Aug 4. 1872

473A

T. 13 S. R. 62. 00

N. between loc 3 & 35

N. 14° E

40.10 Set point in mound for 1/4 loc

80.10 Set point in mound for loc to

loc 26. 27. 34. 35

Land rolling 2nd route

Neg. good grass

E. on a random line
 between loc 26 & 35

N. 14° 45' E

40.10 Set temporary 1/4 loc

71.10 Dry bed of creek by S.

79.97 Intersect N. S. line 1/4 loc. S

loc. from which loc 1 was

S. 89° 54' 00"

on a true line

39.98 Set point in mound for 1/4 loc

79.97 The loc. to loc 26. 27. 34. 35

Land rolling 2nd route

Neg. good grass

474A

T. 13. S. R. 62. 00
N. between Sec 26 & 27
Va 14° E

40.00 Set post in mound for 1/4 Cu
80.00 Set post in mound for Cu
to Sec 22, 23, 26, 27
Land melling 2^d rate
Reg. good grass.

Even a random line
between Sec 23 & 26
Va 14° 45' E

40.00 Set temporary 1/4 Cu
79.96 Intersect N. S. line 3 1/4 m. S.
flor. from which Cu found
S. 89° 59' W
on a true line

39.98 Set post in mound for 1/4 Cu
79.96 The Cu to Sec 22, 23, 26, 27
Land melling 2^d rate
Reg. good grass

475A

T. 13. S. R. 62. 00
N. between Sec 22 & 23
Va 14° E

40.00 Set post in mound for 1/4 Cu
80.00 Set post in mound for Cu to
Sec 14, 15, 22, 23
Land melling 2^d rate
Reg. good grass

Even a random line
between Sec 14 & 23
Va 14° 45' E

40.00 Set temporary 1/4 Cu
79.88 Intersect N. S. line 3 1/4 m. S.
flor. from which Cu found
S. 89° 54' W
on a true line

39.94 Set post in mound for 1/4 Cu
79.88 The Cu to Sec 14, 15, 22, 23
Land melling 2^d rate
Reg. 1st rate grass

476A

T. 3. S. R. 62. 00

N. between Sec 14 & 15

Ta 14° E

41.00 Set post in mound for 1/4 Cu

80.00 Set post in mound for 1/4 Cu
to Sec 10. 11. 14 & 15Land gelling 2^d note
Veg. Good grassE. on a mound line
between Sec 11 & 14

Ta 14° 45' E

41.00 Set temporary 1/4 Cu

79.93 Intersect N. line & E. line
of Cu. from which Cu. runs

N. 89° 54' W

on a true line

79.96 Set sandstone 16x14x12 ft / 1/4 Cu

79.93 The Cu to Sec 10. 11. 14 & 15

Land gelling 2^d note
Veg. Good grass

477A

T. 3. S. R. 62. 00

N. between Sec 10 & 11

Ta 14° E

41.00 Set sandstone 14x12x10 ft / 1/4 Cu

80.00 Set sandstone 14x12x10 ft
Cu to Sec 2. 3. 10 & 11Land gelling 2^d note
Veg. Good grassE. on a mound line
between Sec 2 & 11

Ta 14° 45' E

41.00 Set temporary 1/4 Cu

79.97 Intersect N. line & E. line
of Cu. from which Cu. runs

N. 89° 54' W

on a true line

79.98 Set post in mound for 1/4 Cu

79.97 The Cu to Sec 2. 3. 10 & 11

Land gelling 2^d note
Veg. Good grass

478A

T. 13. S. 0. 62. 00

N. on a sandan line
between loc 2 & 3

Ta 14°C

44.111 Set temporary p/4 Cu

80.78 Intersect N. line by T. 13. 00. 00
N. floor from which location
S. 0° 6' 00"

on a true line

44.78 Set pit in ground for p/4 Cu

80.78 The Cu to loc 2. 3. 11. 11

Laid hill 2^d routeVeg. 1st route Punch. 1st in

gran. trap need 1 c

Aug 5/1892

N. between loc 33 & 34

Ta 14°C

44.111 Set pit in ground for p/4 Cu

80.111 Set stone 16x14x8 for Cu to

loc 27. 28. 33. 34

Laid rolling 2^d route Veg. gran

479A

T. 13. S. 0. 62. 00

On a sandan line
between loc 27 & 34

Ta 14°C 45°C

44.111 Set temporary p/4 Cu

80.07 Intersect N. S. line at Cu
from which loc. on
N. on a true line

44.113 Set sandstone 17x12x6 for p/4 Cu

80.117 The Cu to loc 27. 28. 33. 34

Laid rolling 2^d route

Veg. gran

N. between loc 27. 28

Ta 14°C

44.111 Set stone 19x12x3 for p/4 Cu

80.111 Set stone 20x16x3 for Cu

to loc 21. 22. 27. 28

Laid rolling 2^d routeVeg. Punch. 1st in gran

480A

T. 13. S. R. 62. 00

E. on a sand line
between Sec 22, 27

N. 14° 45' E

40.00 Set temporary 1/4 cor

80.03 Intersect N. S. line 3 1/4 S.

flor. from white cor. Iron

S. 89° 59' 00

on a true line

40.01 Set point in mound for 1/4 cor

80.03 The cor to Sec 21, 22, 27, 28

Land rolling 2^d route

N. between Sec 21, 22

N. 14° E

40.00 Set stone 16 x 14 x 8 for 1/4 cor

80.00 Set stone 28 x 12 x 6 for cor to

Sec 15, 16, 21, 22

Land rolling 2^d route

Veg. Good grass

481A

T. 13. S. R. 62. 00

E. on a sand line
between Sec 15, 22

N. 14° 45' E

40.00 Set temporary 1/4 cor

79.96 Intersect N. S. line 7 1/4 S.

flor. from white cor. Iron

N. 89° 57' 00

on a true line

39.98 Set sand stone 16 x 10 x 3 for 1/4 cor

79.96 The cor to Sec 15, 16, 21, 22

Land rolling 2^d route

Veg. Brush & Prairie grass

N. between Sec 15, 16

N. 14° E

40.00 Set stone 16 x 14 x 6 for 1/4 cor

80.00 Set stone 20 x 10 x 4 for cor to

to Sec 9, 10, 15, 16

Land rolling 2^d route

Veg. Brush & Prairie grass

482A

T. 3. S. R. 62. 28

E. on a random line
between bc 10 + 15

Va 14° 45' E

40.00 Set temporary 1/4 bu

79.98 Intersect N. S. line & draw
of bu from which bu came
N. 89° 59' 8"

on a true line

39.99 Set byt in mound for 1/4 bu

79.98 The bu to loc 9. 11. 15. 16

Land rolling 2^d rate

Veg. Birch & Pinus grass

N. between loc 9 + 10

Va 14° E

40.00 Set stone 17 x 15 x 7 for 1/4 bu

80.00 Set stone 22 x 16 x 8 for bu
to loc 3. 4. 9 + 10Land rolling 2^d rate

Veg. Birch & Pinus grass

483A

T. 3. S. R. 62 10

E. on a random line
between bc 3 + 10

Va. 14° 45' E

40.00 Set temporary 1/4 bu

79.90 Intersect N. S. line at bu
from which bu came
on a true line

39.95 Set byt in mound for 1/4 bu

79.90 The bu to bc 3. 4. 9 + 10

Land rolling 2^d rate

Veg. grass, Sage & Soap weed

N. on a random line
between bc 3 + 4

Va 14° E

40.00 Set temporary 1/4 bu

80.75 Intersect N. line of 1/4 bu
from which bu came
on a true line

40.75 Set land stone 22 x 11 x 6 for 1/4 bu

80.75 The bu to loc 3. 4. 9 + 10

484A

T. 13. S. R. 62. 28

Land rolling 3^d route
 Veg. grasses, sage
 Aug 6/87

N. between loc 32, 33

Va 14° E

41.11 Lett in command 1/4 bu

89.11 Lett in command from
 to loc 28, 29, 32, 33

Land rolling 2^d route
 Veg. Buffalo & sand grass

E. on a random line
 between loc 28 & 33

Va 14° 45' E

41.11 Lett temporary 1/4 bu

79.93 Intersect N. S. line 7th S.
 of bu. from which bu. line
 S. 89° 57' 00"

on a true line

39.96 Lett in command 1/4 bu

485A

T. 13. S. R. 62. 28

79.93 The loc to be 28, 29, 32, 33
 Land rolling 2^d route

N. between loc 28 & 29

Va 14° E

41.11 Lett sandstone 15' 14' 9" fr 1/4 bu

81.11 Let do 22' 21' 15" fr loc
 to loc 20, 21, 28, 29

Land hill 1st & 2^d route
 Veg. Prairie & sand grass (cactus)

E. on a random line
 between loc 21 & 28

Va 14° 45' E

41.11 Let temporary 1/4 bu

79.95 Intersect N. S. line 11th S.
 of bu. from which bu. line
 S. 89° 55' 00" fr 1/4 bu

39.94 Lett in command 1/4 bu

49.95 The loc to be 20, 21, 28, 29
 Land hill 1st & 2^d route

486.A

T. 13 S. R. 62. 00

N. between loc 20 & 21

N. 145° E

40.00 Set sandstone 18 x 13 x 9 ft/4

80.00 Set at 23 x 17 x 15 ft Cu
to loc 16. 17. 20 & 21

Land hill

Veg. 1st quality of grassE. on a random line
between loc 16 & 21

N. 140° 45' E

40.00 Set temporary 1 x Cu

80.00 Intersect N. S. line at Cu
from which loc 20 & 21

D. mature line

40.04 Set stone 19 x 17 x 6 ft/4 Cu

80.09 The Cu to loc 16. 17. 20 & 21

Land hill 1st & 2nd rateVeg. 1st & 2nd quality of grass

487.A

T. 13 S. R. 62. 00

N. between loc 6 & 7

N. 145° E

40.00 Set sandstone 19 x 17 x 11 ft/4 Cu

80.00 Set at 23 x 20 x 9 ft Cu
to loc 8. 9. 16. 17Land hill 2nd rate

Veg. grasses, (cactus &c)

E. on a random line
between loc 9 & 16

N. 140° 45' E

40.00 Set temporary 1 x Cu

80.03 Intersect N. S. line 9 ft S
of Cu. from which loc 20 & 21

S. 89° 56' W

mature line

40.01 Set stone 17 x 12 x 3 ft/4 Cu

80.03 The Cu to loc 8. 9. 16. 17

Land hill 2nd rate

Veg. grasses

488A

T. 13. S. 62. 00

N. between loc 19

Va 14° E

40.11 Set Boulder 19x15x11 for 1/4 lb

80.11 Set do 24x17x9 for loc
to loc 4.5.8.9Land hill 2^d mileVeg. 1st State much wavingE. on a sand dune line
between loc 4 & 9

Va 14° 45' E

40.11 Set temporary 1/4 lb

80.13 Intersect N. line 3/4 lb
of loc. from which loc 11
S. 89° 59' 00

on a true line

40.16 Set post in mound for 1/4 lb

80.13 The cut to loc 4.5.8.9

Land hill 2^d mile

Veg. good grass

489A

T. 13. S. 62. 00

N. magaud in line
between loc 4 & 5

Va 14° E

21.63 Dry bed above k. S. 27° 00

40.00 Set temporary 1/4 lb

80.74 Intersect N. line of 1/4 lb

N. line from which loc 11

S. 11° 4' 00

on a true line

40.74 Set sandstone 16x15x9 for 1/4 lb

80.74 The cut to loc 4.5.8.9

Land hill 2^d mile

Veg. Excellent grass

Aug 7. 1892

N. between loc 31 & 32

Va 14° E

40.11 Set post in mound for 1/4 lb

80.11 Set Boulder 19x15x3 for loc

to loc 29. 30. 31. 32

Land rolling 2^d mile

490A

T. 13. S. R. 62. 00

E. on a random line
between loc 29, 32

N. 14° 45' E

16.23 Dry bed of brook, by S

40.00 Set temporary 1/4 cor

80.05 Intersect N. S. line 7 1/4 mi
from mouth of brook

N. 89° 57' 00

on a true line

40.02 Set point in mound 1/4 cor

80.15 The cor to loc 29, 31, 32

Land rolling 2 miles

N. on a random line

between loc 30 & 31

N. 14° 45' E

40.00 Set temporary 1/4 cor

77.37 Intersect N. line 7 1/4 mi

1 1/4 mi N. of cor

from mouth of brook

N. 89° 55' E

491A

T. 13. S. R. 62. 00

on a true line

37.37 Set sandstone 19 x 12 x 8 ft cor

77.37 The cor to loc 29, 31, 32

Land rolling 2 miles

N. between loc 29, 30

N. 14° E

40.00 Set point in mound 1/4 cor

80.00 Set sandstone 19 x 17 x 3 ft cor

to loc 19, 20, 29, 30

Land rolling 2 miles

Reg. Good grass

E. on a random line

between loc 20 & 29

N. 14° 45' E

34.27 Dry bed of brook, by S. 10' W

40.00 Set temporary 1/4 cor

80.11 Intersect N. S. line 1 1/4 mi

from mouth of brook

N. 89° 56' 00

492A

T. 13. S. R. 62. 00

mature line

40.15 Set post in mound for 1/4 Cu

80.11 The bar to loc 19. 20. 29. 30

Land rolling 2nd out
Veg. grassT. ma random line
between loc 19, 20

N. 14° 45' E

40.11 Set temporary 1/4 Cu

77.78 Intersect N. line of 16th

N. line from which Cu In

N. 89° 53' E

mature line

37.78 Set post in mound for 1/4 Cu

77.78 The bar to loc 19. 20. 29. 30

Land rolling 2nd out

Veg. bunch Prairie grass

Aug 8, 1872

493. A

T. 13. S. R. 62. 00

N. between loc 19, 20

N. 14° 45' E

40.00 Set post in mound for 1/4 Cu

80.00 Set post in mound for Cu

to loc 17, 18, 19, 20

Land rolling 2nd 13th out

Veg. grass

E. ma random line

between loc 17, 20

N. 14° 45' E

53.00 Dry bed of creek. big S. E.

40.11 Set temporary 1/4 Cu

80.13 Intersect N. S. line 13th out

N. line from which Cu In

N. 89° 54' 00

mature line

40.01 Set post in mound for 1/4 Cu

80.13 The bar to loc 17, 18, 19, 20

Land rolling 2nd out

Veg. bunch Prairie grass

494A

N. 3. S. P. 62. 70

W. m. a. r. a. u. d. a. u. l. i. e
between loc 18 & 19

N. 14° 15' E

40.110 Let temporary / 4 Cu.

78.13 Intersect N. line of 17. 20

N. 10. 11. from which Cu. line

N. 89° 54' E

on a true line

38.13 Let front in ground for 1/4 Cu.

78.13 The Cu. to loc 17. 18. 19. 20

Land rolling 2° to

Reg. grass

N. between loc 17. 18

N. 14° E

537 Dry bed of Creek. by S. E.

10.22 Same " S. W.

2133 Same " S. E.

40.00 Let front in ground for 1/4 Cu.

43.7 Dry bed of same Cr. by S. W.

54.82 Same " S. E.

495A

N. 3. S. P. 62. 70

80.00 Let land line 22x20x1 for

cut to loc 7. 8. 17. 18

Land rolling 2° to

Reg. grass

E. m. a. r. a. u. d. a. u. l. i. e
between loc 17

N. 14° 15' E

40.00 Let temporary / 4 Cu.

57.43 Dry bed of Cr. by S. W.

80.10 Intersect N. S. line 3 1/4

10. 11. from which Cu. line

N. 89° 59' W

on a true line

40.15 Let front in ground for 1/4 Cu.

80.10 The Cu. to loc 7. 8. 17. 18

Land hill 2° to

Reg. Brn. & tan grass

496A

P. 13. S. of P. 62. 08

T. m. a. sandau line
between loc 7, 18

Pa 14° 45' E

57.22 Dry bed of Creek S. of

40.00 Set temporary 1/4 Cu

78.49 Intersect N. line of T. 15th,
N. of Cu. from which Cu. runs

N. 89° 54' E

on a true line

38.49 Set post in mound for 1/4 Cu

78.49 The Cu. to loc 7, 8, 17, 18

Land hill 2 miles

N. between loc 7, 8

Pa 14° E

40.00 Set sandstone 7x15x18 for 1/4 Cu

80.00 Set do 22x20x19 for Cu to

loc 5, 6, 7, 8

Land hill 2 miles

Veg. Birch & Pinus

497A

P. 13. S. of P. 62. 08

T. m. a. sandau line
between loc 5, 18

Pa 14° 45' E

40.00 Set temporary 1/4 Cu

74.20 Dry bed of Creek. by S. of

80.07 Intersect N. S. line with N
of Cu. from which Cu. runs

N. 89° 55' E

on a true line

40.03 Set post in mound for 1/4 Cu

80.07 The Cu. to loc 5, 6, 7, 8

Land hill 2 miles

Veg. grasses

T. m. a. sandau line
between loc 6, 17

Pa 14° 45' E

40.00 Set temporary 1/4 Cu

57.34 Dry bed of Creek. by S.

78.79 Intersect N. line of T. 17

N. of Cu. from which Cu. runs

498A

T. 3. S. R. 62. 08

N. 89° 53' E

on a true line

38.79 Let point in mound pit & Co

78.79 The Co to be 5. 6. 7. 8

Land hilly 2nd state

Veg. grass

Now a random line
between Loc 5 & 6

N. 14° E

40.00 Let temporary 1/4 Co

80.57 Point at N. line of T. 16 Co

N. 1/4 Co. from which Co. line

S. 5° 7' 08"

on a true line

40.57 Let point in mound pit & Co

80.57 The Co to be 5. 6. 7. 8

Land rolling 1st & 2nd state

Veg. Small Prairie & Sand grass

Cactus, sage

Aug. 9. 1892

499A

T. 3. S. R. 62. 08

General Description

The surface of this T₃
is rolling & hilly, coveredfor the most part with
excellent grass.rendering it an excellent
stock range, wereit not for the want
of water

633.

T. 13 S. R. 5800

General Description

The surface of this T_h is rolling.

The grass an excellent quality of bunch & Prairie grass, rendering the T_h. with the water, excellently adapted to grazing purposes

634

The border of the T_h is a wide
-line of 100 ft. water depth
surveys in the T_h are
13. 14. 15. 16 & 17 S. R. 62. 85 of
13. 14. S. R. 61. 85. of 13. S. R. 58
W. and 18. S. R. 60. W
of the 6th Div. Mer. in. C. T.
and that the T_h is a wide
in all respects a wide
and faultless survey line
the T_h is a wide
planted at a distance
from the T_h is a wide
Survey Line

Philip Valdez } Chairman

James Duckett

Juan Jaramilla } Chairman

Nicholas Laforja } Chairman

Subscribed and sworn to
by the above named person
before me a Justice of the
Peace for the County of Pueblo
in the Territory of Colorado
this 4th day of
Sept 1872.

L. M. Hefburn (L.S.)
Probate Judge & Ex officio J.P.

I Jacob H. Martz deputy
Surveyor do solemnly swear
that in pursuance of a con-
tract with William T. Loring
Surveyor of the public lands
of the United States in the
Territory of Colorado, bearing date
the fifth day of July, 1872,
and in strict conformity with
the United States instructions
furnished by the said
Surveyor General, I have faithfully
surveyed the subdivision line and
area of Twp. 13, 14, 15, 16, 17 S. R. 62
W. of 13, 14 S. R. 61. W. of
13. S. R. 58 & 60. W.

and do further solemnly swear
that the foregoing is a true and
original copy of such survey.

Jacob H. Martz
Deputy Surveyor

Subscribed by the said Jacob
H. Martz deputy surveyor
and sworn to before me
Justice of the Peace for the
County of Pueblo in the
Territory of Colorado this
4th day of Sept
1872

L. M. Hefburn
Probate Judge & Ex officio J. P.

Surveyor General's Office
Denver. C. P. Sept 14/1872

The foregoing field notes
of survey of Sub. lines of
Twp. 13. 14. 15. 16. 17 S. R. 62
R. 13, 14 S. R. 61. 22
13. S. 61. 58 & 60. 71. executed
by Jacob H. Martz (Dep.
Sur.) under his contract of
July 5. 1872. having been
critically examined the
necessary corrections &
explanations made. the
said field notes & the surveys
they describe are hereby
approved

J. J. Lansing
Surveyor General
Colorado