

R. 62. W.


R. 61. W.

R. 60. W.

R. 59. W.

R. 58. W.

R. 57. W.

2nd COR: LINE SOUTH

T. 11. S.

T. 12. S.

T. 13. S.

T. 14. S.

T. 15. S.

3rd COR: LINE SOUTH

Amount of Survey Townships 222 M² 07 Ch² 26 Lk²
Connections 16 98


Survey commenced August, 5th 1871
completed September, 17th 1871

I hereby certify that the above Diagram of the Exterior Lines of Townships 11 South Ranges 57 58 59 60 & 61, of Townships 12, 13, 14 & 15 South Ranges 57, 58, 59, 60, 61 & 62 West of the 6th Principal Meridian in Colorado as surveyed by Jacob H. Mark, under his contract of June 14th 1871 is strictly conformable to the field notes of the Survey thereof on file in this Office, which have been examined and approved.

Surveyor General's Office
Denver, C. T. October, 21st 1871.

J. H. Lewis,
Surveyor General.

Township No. 14 South Range No. 62. West of the 6th Principal Meridian.



22910.05 Total number of Acres.

Scale, 40 chains to an inch.

Survey Designated.	By whom Surveyed.	Date of Contract.	Amount of Surveys.			When Surveyed.
			M.	Cha.	Lks.	
Township.	Jac. H. Meitz	June 14 th 1871				1871
Sub-division.	"	July 5 th 1872	59	65	80	July 28 th to Sep. 3 rd 1872

The above Map of Township No. 14 South of Range No. 62 West of the 6th Principal Meridian, in Colorado, is strictly conformable to the field notes of the survey thereof on file in this office, which have been examined and approved.

SURVEYOR GENERAL'S OFFICE,
Denver, C. T., September, 14th 1872

Surveyor General.

BUREAU OF LAND MANAGEMENT

COLORADO

RECTANGULAR SURVEY INDEX

PRINTED: 02/24/76

BOUNDARY	TOWNSHIP 14 VOLUME	SOUTH INTRODUCTION	RANGE 62		WEST		TYPE CONTRACT	ISSUED OR	OR GROUP	APPROVED	YEAR	APPROVED	SURVEYOR OR REMARKS
			FROM	TO	FROM	TO							
NORTH	R+A	49	49	61	62	93	99	ORG		06/10/1867	1867	07/10/1867	C A DEANE
NORTH	R0008	1	1	133	136	260	260E	ORG		06/14/1871	1871	10/21/1871	J H MARTZ
SOUTH	R+A	49	49	52	52	93	99	ORG		06/10/1867	1867	07/10/1867	C A DEANE
SOUTH	R0008	1	1	127	130	260	260E	ORG		06/14/1871	1871	10/21/1871	J H MARTZ
EAST	R0008	1	1	127	127	260	260E	ORG		06/14/1871	1871	10/21/1871	J H MARTZ
EAST	R0008	1	1	130	133	260	260E	ORG		06/14/1871	1871	10/21/1871	J H MARTZ
WEST	R+A	49	49	52	52	93	99	ORG		06/10/1867	1867	07/10/1867	C A DEANE
WEST	R+A	49	49	58	62	93	99	ORG		06/10/1867	1867	07/10/1867	C A DEANE
SUBDIVISION	R0013	529	529A	530	462A	634	638	ORG		07/05/1872	1872	09/14/1872	MARTZ

Yp 15 S. R 63 W.

Yield Notes of the
exterior lines of Town-
ships 13, 14 & 15 in
Range 63. West.

From the Stone car-
ried to Townships 15 S
Ranges 63 and 62 West
I run N between Secs

31. and 36. at a

bear. of 15° 30' east.

40.00 Set a Sandstone 10x10x4
for 1/4 Sec. Corner.

85.00 Set a Sandstone 15x
9x4 for corner to Secs

T₁ 15 S. R. 63 W

Land rolling. 2nd rate
veg. bunch grass.

North between Secs. 7 & 8
Ra. 15° 30' East

4000 Set a Sandstone 16x8x4
for 1/4 Sec. Corner.

3000 Set a Sandstone 24x14
x4 for corner to Sec. 1. 6.
31/4 36 in Townships
14 and 15-S. Ranges
6, 2 and 63 West.

Land nearly level 2nd rate
veg. bunch grass.

North Rd. T₁ 15-S. R. 63 W.

X

From the corner of
Townships 14 and 15-
South, Ranges 62 and
63 West, I run a random
line West along the North
boundary line of Town-
ship 15-S. Range
63 West, at a
Ra. of 15° East, set-
ting temporary stone
corners, and at 480.88
chains intersect N. and
South line at a
point 1.36 Chs South
of the corner to Town-
ships 14 and 15-South,
Ranges 63 and 64 West.
from which corner
I run S 83° 51' E. on
a true line at a
Ra. of 15° East, & at
40.86 Set a Sandstone 16x8x4

40.86

East Bay Twp. 14 S. R. 63 W.

From the corner to
Townships 14 and 15
South, Range 63 and
63 West, I run
North between Secs 17 & 18
1/4 Sec. 15⁰ 15 East.
10.00 Set a Post in mound
and marked stone
for 1/4 Sec. Corner
80.00 Set a Post in mound
and marked stone for
corner to Secs 25, 29,
31, and 36.
Land rolling 2¹/₂ rate
veg. bunch grass.

North between Secs 25 & 30
1/4 Sec. 15⁰ 15 East
40.00 Set a Post in mound

East Bay Twp. 14 S. R. 63 W.

and marked stone for
1/4 Sec. Corner
80.00 Set a Post in mound
and marked stone
for corner to Secs
19, 24, 25, and 30
Land gently rolling
2¹/₂ rate
veg. bunch grass
North between Secs
19, and 24
1/4 Sec. 15⁰ 15 East.
40.00 Set a Post in mound
and marked stone
for 1/4 Sec. Corner.
10.00 Set a Post in mound
and marked stone
for corner to Secs
13, 18, 19, and 24
Land nearly level
veg. bunch grass

East by $\frac{1}{4}$ S. R. 63 W.

North between Lees 13 & 15.

Bear, 15° 15' East

40.00 Set a Post in mound
and marked Stone
for $\frac{1}{4}$ Sec. corner.

80.00 Set a Post in mound
and marked stone
for corner to Lees 12
13 and 14.

Land nearly level
2nd white

veg. Bunch grass.

North between
Lees 7, and 12

Bear 15° 15' East.

40.00 Set a Post in mound
and marked stone
for $\frac{1}{4}$ Sec. corner.

80.00 Set a Post in mound
and marked stone
for corner to Lees

East by $\frac{1}{4}$ S. R. 63 W.

1, 6, 7, and 12.

Land nearly level 2nd white
veg. buffalo and
bunch grass

North between
Lees 1 and 6

Bear, 15° 15' East.

40.00 Set a Post in mound
and charred stake
for $\frac{1}{4}$ Sec. corner.

45.00 Squirrel Creek.
course S. E.

Creek spreads out
over a large bottom
and has no defined
banks or course.

80.00 Set a Post in mound
and marked Stone
for corner to Lees 1, 6
3, and 36 in Town
ships 13, and 14 S

North Range 14 S. R. 63 W.

Ranges 62, and 63 W.
Land nearly level & ^{to} ~~to~~
veg. bunch grass

X

From the corner to
Townships 13 and
14 South. Ranges
62 and 63 West, I
run on a random line
West along the North
boundary of Town-
ship 14 S Range
63 West, at a
Bearing of 15° East,
setting temporary
Pots every 40 and 80
chains, and at 460,
63 chains intersect
N. & S. line at a
point 1.67 the S.

North Range 14 S. R. 63 W.

of corner to Town-
ships 13. and 14 South
in Ranges 63 and 64
West, from which
corner I run S. 89°
 $48'$ East on a true
line at a

Bearing of 15° East, and at
40.67 Set a Post in mound
and marked stone for
 $1/4$ Sec. Corner

80.67 Set a Post in mound
and marked stone
for corner to Secs 31, 32,
31, and 32.

Land rolling & ^{to} ~~to~~
veg. bunch grass

East along the South
boundary of Sec. 32.

Bearing 15° East,
40.00 Set a Post in mound

I hereby certify that I
assisted Cecil A Deane
deputy Surveyor in survey-
ing the exterior lines of
Townships 11. 12. 13. 14 & 15
South. Range 64 & 65 West
of the 6th Principal Meridian
also the 3rd correction line
South, for a distance of 24
miles East from the 8th
Guide Meridian in Colorado
and that said survey, has
been well and faithfully
surveyed and the boundary
monuments have been
planted according to the in-
struction furnished by the
Surveyor General.


Frank Watters
Examiner

Territory of Colorado
County of Orapahue } Sub
Scriber and sworn

To be fore me this Third
day of July 1867

Return my hand and
notarial seal this 3^d
day of July 1867

John W Webster
Notary Public



We hereby certify that
we assisted Cecil H.
Deane, deputy Surveyor,
in surveying the exte-
rior lines of Town-
ships 11, 12, 13, 14 and
15 South, Ranges 63 and
64 West of the 6th Prin-
cipal Meridian; also
the 3rd correction line
South, for a distance of
24 miles East from
the 8th Guide Meridian
in Colorado, and that
said survey has been
well and faithfully
surveyed, and the bound-
ary monuments have
been planted according
to the instructions
furnished by the Sur-
veyor General.

D. C. F. Bridger
Richard King } Chairmen
Wm. Plumber }

John W. Guire
J. F. Morgan. } Monitors
James Fisher }

Territory of Colorado
County of Garfield

Sworn and Subscribed
to before me this 11th
day of July, A.D. 1867
Witness my hand
and Notarial Seal
John W. Webster
Notary Public

I Cecil A. Deane deputy
Surveyor do solemnly
swear that in pursuance
of a contract with W. H.
Lessey Surveyor General
of the public lands of the
United States in the Territory
of Colorado, bearing date
the 10th day of June 1867, and
in strict conformity to the
laws of the United States
and the instructions fur-
nished by said Surveyor
General, I have faithfully
surveyed the 3rd Correction
line & East from the 8th Guide
Meridian 24 miles and
the Extension line of the
11, 12, 13, 14 & 15 S. R. 63 & 64
N. of the 6th Principal
Meridian in said
Territory and do

further solemnly swear
that the foregoing are
the true and original
field notes of such sur-
vey

Becil A. Deane.

Deputy Surveyor.

Territory of Colorado }
Arapahoe County }²¹

Subscribed
by said Becil A. Deane deputy
surveyor and sworn to before
me this 14th day of July

A.D. 1867

Eli W. Ashley
Notary Public

Surveyor General's Office
Denver C.T. July 10th 1867

The foregoing field notes
of the survey of the 3rd Con.
line S.-E. from the 8th Guide
Mer. 24 miles and the Ester
ren line of the 11, 12, 13, 14 & 15
S.R. 63 & 64 th. executed
by Becil A. Deane, having
been critically examined
the necessary corrections &
explanations made the said
field notes and the surveys
they describe are hereby
approved.

J. D. D. Vessing
Surveyor General of
Colorado & Utah

E 32
S- 15
W 32

Book 8

Field Notes
of Survey of Extension Lines
of Tps. 11. S. R3 57. 58. 59. 60. 61.
of Tps 12. 13. 14. 15. S. Ranges
57. 58. 59. 60. 61. 62. of Tps
16. 17. S. R3 59. 60. 61. 62.
63. 64. of Tps. 18. 19. S. R3 6
59. 60. 61. 62. 63. Tps. 20
S. R3 59. 60. 61. 62.
of the 6th Ind. Mer. in Col. Sec
by Jacob H. Martz
Asst. Surveyor
under Contract of June 14, 1871
Survey begun July 2, 1871
Completed Sept 17, 1871

E. boundary T. 15. S. R. 62 W
 N. between Sec 19, 24
 Va. 15° 30' E

40.00 Let for in manner with
 Chancery State for 1/4 Sec 19

80.00 Let for Stone 20 x 12 x 6 for
 Cato Sec 13, 18, 19, 24
 Land and a half 3 rate

N. between Sec 18, 18
 Va. 15° 30' E

40.00 Let for in manner with
 Chancery State for 1/4 Sec 18

80.00 Let for Sandstone 20 x 6 x 3 for
 Cato Sec 7, 15, 13, 18
 Land and a half 2 rate
 Veg. Buffalo Brnch grass

N. between Sec 7, 12
 Va. 15° 30' E

40.00 Let for in manner with
 Chancery State for 1/4 Sec 7

E. boundary T. 15. S. R. 62 W
 80.00 Let for Sandstone 19 x 16 x 3 for
 Cato Sec 1, 6, 7, 12
 Land and a half 2 rate

N. between Sec 1, 6
 Va. 15° 30' E

40.00 Let for in manner with
 Chancery State for 1/4 Sec 1

80.00 Let for Sandstone 25 x 16 x 4
 for Cato to T. 14. S. R. 61. 62. W
 Land and a half 2 rate

From last named Cor
 From

W. in a random line
 along the N. boundary of T.
 15. S. R. 62. W.

Va. 14° 45' E

Setting temporary mile and
 half mile from and at

N. boundary T. 15. S. R. 62. W

5 miles, 77 chs. 91 lks.

in line of N. line 87 lks N.

of bar. therefore my correction
will be 15 lks S for mile

From this Cor. down

E. on a true line

between Sec 6 & 31

Ta 14° 55' E

37.91 Set post in mound with
chained state for $\frac{1}{4}$ Sec 6

77.91 Set stone 26 x 10 x 2 for Cor
to Sec 5, 6, 31, 32

Land selling 2^d & 3^d rate

Big bunch & Prairie grass

E. between Sec 5 & 32

Ta 14° 55' E

41.00 Set post in mound with chained
state for $\frac{1}{4}$ Sec 6

58.80 Dry bed of creek. bar. S. 30° E

N. boundary T. 15. S. R. 62. W

to Sec 4, 5, 32, 33

Land selling 2^d rate

E. between Sec 4 & 33

Ta 14° 55' E

41.111 Set post in mound with
chained state for $\frac{1}{4}$ Sec 6

80.00 Set stone 22 x 12 x 2 for Cor
to Sec 3, 4, 33 & 34

Land selling 2^d rate

E. between Sec 3 & 34

Ta 14° 55' E

41.111 Set post in mound with
chained state for $\frac{1}{4}$ Sec 6

80.00 Set stone 19 x 15 x 3 for Cor
to Sec 2, 3, 34 & 35

Land selling 2^d rate
Big bunch & Prairie grass

N. boundary T. 15, S. R. 62 W

E. between Sec 2 & 35

N. 14° 51' E

40.00 Let part in mound with
chance state for 1/4 Sec 2

80.00 Let land stone 17x8x6 for
bar to Sec 1, 2, 35 & 36

Land selling 2^d rate

E. between Sec 1 & 36

N. 14° 51' E

40.00 Let part in mound with
chance state for 1/4 Sec 2

80.00 The bar. to Tps. 14 & 15 S.
R. 61 & 62. W

Land selling 2^d rate
Reg. March & Rain grass
Aug 7. 1891

From bar to Tps 14 & 15 S.

R. 61 & 62. W. Down

N. on a true line

E. boundary T. 14, S. R. 62 W

between Sec 31 & 36

N. 15° E

40.00 Let part in mound with
chance state for 1/4 Sec 2

80.00 Let Stone 18x12x3 for bar
to Sec 25, 30, 31, 36

Land selling 2^d rate

N. between Sec 25 & 30

N. 15° E

40.00 Let part in mound with chance
state for 1/4 Sec 2

80.00 Let Stone 20x12x6 for bar
to Sec 19, 24, 25 & 30

Land selling 2^d rate

N. between Sec 19 & 24

N. 15° E

40.00 Let part in mound with chance
state for 1/4 Sec 2

80.00 Let Land stone 19x16x3

E. boundary T. 14. S. R. 62 W
 for loc to loc 13, 18, 19, 24
 Land rolling 2^d state
 Veg. bunchgrass Cactus

N. between loc 13, 18
 Va 15° E

40.00 Set post in mound with
 changed state for 1/4 loc 18

80.00 Set post in mound with changed
 state for loc to loc 7, 12, 13, 18
 Land rolling 2^d state

N. between loc 7, 12
 Va 15° E

40.00 Set post in mound with changed
 state for 1/4 loc 18

80.00 Set stone 22 x 8 x 6 for loc
 to loc 1, 6, 7, 12
 Land rolling 2^d state
 Veg. bunchgrass

E. boundary T. 14. S. R. 62 W
 N. between loc 1, 6
 Va 15° E

18.50 Ravine. corner 70.

40.00 Set post in mound with
 changed state for 1/4 loc 18

80.00 Set sandstone 28 x 10 x 8
 for loc to T. 13 + 14. S.
 R. 61, 62. 70.

Land rolling 2^d + 3^d state
 Veg Buffalo bunchgrass

From last named loc
 Iron

W. on sandstone line
 along the N. boundary of
 T. 14. S. R. 62. 70

Va 14° 45' E

Setting temporary mile &
 half mile posts and at
 5 miles 77 ch. intersect
 W. line 31 M. S. 1/4 Sec

N boundary T. 14. S. R. 62. W
 therefore my correction
 will be 6 1/4 N. from mile
 from this cor. from
 C. on a true line
 between loc 6 & 31
 (Va. 14° 42' E)

37.00 Set post in mound with
 chanced state for 1/4 section
 77.00 Set post in mound with
 chanced state for cor to
 loc 5. 6. 31, 32
 Land rolling 2^d & 3^d rate
 Veg. bunch grass, weeds

C. between loc 5 & 32
 (Va 14° 42' E)

29.00 Dry bed of creek, same S
 40.00 Set post in mound & for 1/4 section
 80.00 Set post in mound with chanced
 state for cor to loc 4. 5, 32, 33
 Land rolling 2^d rate

N. boundary T. 14. S. R. 62. W
 C. between loc 4 & 33
 (Va 14° 42' E)

40.00 Set post in mound with chanced
 state for 1/4 section
 80.00 Set post in mound with chanced
 state for cor. to loc 3. 4. 33, 34
 Land rolling 2^d rate

C. between loc 3 & 34
 (Va 14° 42' E)

40.00 Set post in mound with chanced
 state for 1/4 section
 80.00 Set post in mound with chanced
 state for cor. to loc 2. 3. 34 & 35
 Land rolling 2^d rate

C. between loc 2 & 35
 (Va 14° 42' E)

3.50 Prairie same S.
 40.00 Set post in mound with chanced
 state for 1/4 section

N. boundary T. 14. S. R. 62. W
 80.00 Set post in mound with chain
 State for 1/4 sec. 2. 35. 36
 Land selling 2nd rate
 Veg. Prairie grass

E. between Sec 1, 36
 Va 14° 42' E

40.00 Set post in mound with
 chain State for 1/4 sec
 80.00 The cor. to T. 13 & 14. S.
 R. 61 & 62. W
 Land hilly 3rd rate
 Aug 8, 1871

From cor to T. 13 & 14. S.
 R. 61 & 62. W. From
 N. main line
 between Sec 31 & 36
 Va 14° E

40.00 Set post in mound with chain
 State for 1/4 sec

E. boundary T. 13. S. R. 62. W
 80.00 Set Sandstone 17x16x4 for
 for cor. to Sec 25, 30, 31, 36
 Land selling 2nd rate

N. between Sec 25, 30
 Va 14° E

40.00 Set post in mound with
 chain State for 1/4 sec
 80.00 Set Stone 17x13x4 for cor
 to Sec 19, 24, 25 & 30
 Land selling 2nd rate

N. between Sec 19, 24
 Va 14° E

40.00 Set post in mound with chain
 State for 1/4 sec
 80.00 Set Stone 16x14x4 for cor
 to Sec 13, 18, 19, 24
 Land selling 2nd rate
 Veg. Prairie grass

60 We hereby certify that we assisted
Jacob A. Matty Deputy Surveyor
in surveying the exterior lines of
Tps 11. S. Rs 57. 58. 59. 60 & 61. W.
Tps 12. 13. 14 & 15. S. Rs 57. 58. 59
60. 61. 62. W. Tps 16 & 17. S. Rs 59. 60. 61
62. 63 & 64. W. Tps 18 & 19. S. Rs ⁵⁹ 60. 61. 62. 63
and Tps 20. S. Rs 59. 60. 61. W. in Col. Tex
of the 6th Precinct

and that said Tps. have been
in all respects to the best of our
knowledge and belief well and
faithfully surveyed and the bound-
ary monuments planted according
to the instructions furnished by
the Surveyor General.

George Holton Chapman

John Laosh

James Duckett

60 Carl Bertram Flagman

260A

Subscribed and sworn to by the
above named persons before me
this 19th day of Sept. 1891

Wm Brooks Seal
Notary State of Colo

260B

J. Jacob H. Martz, Dep. Surveyor
do solemnly swear, that in pursuance of
a contract with Wm H. Lemig, Surveyor
of the Public lands of the U. S. in the Ter. of
Colorado, I have faithfully surveyed the
exterior lines of Tps 11, S. R. 57, 58, 59, 60, 61
of Tps 12, 13, 14, 15, S. R. 57, 58, 59, 60, 61, 62
Tps 16, 17, S. R. 59, 60, 61, 62, 63, 64
Tps 18, 19, S. R. 59, 60, 61, 62, 63, and Tps
20, S. R. 59, 60, 61, W. of the 6th Prin-
g Mer. in the Ter of Colorado do, said
Contract bearing date June 14, 1891,
and said survey being in strict conform-
mity to the laws of the United States
and the instructions of the Surveyor
General, and I further solemnly swear
that the foregoing are the true &
original field notes of such survey

Jacob H. Martz
Deputy Surveyor

20 C

Subscribed by said Jacob W. Murty
Deputy Surveyor, and sworn to before
me this 19th day of Sept 1871

Oliver Brooks Seal
United States Comr

260 D

Surveyor General's Office
Denver C. O. Oct 21, 1871

The foregoing field notes
of survey of T. lines of
T. 11. S. R. 57. 58. 59. 60. & 61
of T. 12. 13. 14. 15. S. R. 57.
58. 59. 60. 61. 62. & 63.
of T. 16. & 17. S. R. 59. 60.
61. 62. 63. 64. & 65. of T. 18.
& 19. S. R. 59. 60. 61. 62. & 63.
of T. 20. S. R. 59. 60. & 61
of the 6th Prin. Mer.
in Colorado Per. executed
by J. H. Murty, dep. Sur.
under his contract of
June 14. 1871. having been
critically examined, the
necessary corrections
explanations made.
the said field notes

260 E

and the surveys they
describe are hereby
approved

Survey of General
of Colorado

529-A

Township 14 S R. 62 W

6	462A	5	452A	4	446A	3	441A	2	535	1
461A	460A	452A	446A	440A	534					
7	460	8	451A	9	445A	10	440A	11	534	12
459A	458A	451A	445A	539	533					
18	458	17	450A	16	444A	15	539	14	533	13
457A	457A	450A	444A	538	532					
19	456A	20	449A	21	443A	22	538	23	532	24
456A	455A	448A	443A	537	531					
30	455A	29	448A	28	442A	27	537	26	531	25
454A	453A	447A	442A	536	530					
31	453A	32	447A	33	441A	34	536	35	530	36

532
T. 14. S. 62. 00
My compass being in
suitable adjustment
I begin on the S. boundary
of the T. at the corner
to Sec 35 & 36 & run
N. between Sec 35 & 36
to 150° E

40.00 Set post in mound for 1/4 Sec
80.00 Set post in mound for Sec
to Sec 25. 26. 35 & 36
Land selling 1st & 2nd rate
Reg. Prairie grass
1st rate grazing

E. on a random line
between Sec 25 & 36
to 14° 45' E

40.00 Set temporary post
79.92 Intersect C. line of T. 36
N. of Sec. from which Sec 36
N. 89° 54' 00"

531.

T. 14. S. R. 62. 00

on a true line

39.96 Set point in mound for 1/4 bar

79.92 The bar to sec 25, 26, 35, 36

Land rolling 2nd rate

(Veg. grasses)

N. between sec 25, 26

Ta 150° E

40.00 Set point in mound for 1/4 bar

80.00 Set point in mound for bar

to sec 23, 24, 25, 26

Land rolling 1st & 2nd rate

Veg. Good grass

E. on a random line

between sec 24, 25

Ta 140° 45' E

40.00 Set temporary 1/4 bar

79.98 Intersect E. line of 1/4 bar

flav. form which bar from

N. 89° 53' D

532

T. 14. S. R. 62. 00

on a true line

39.99 Set point in mound for 1/4 bar

79.98 The bar to sec 23, 24, 25, 26

Land rolling 2nd rate

(Veg. good grasses)

N. between sec 23, 24

Ta 150° E

40.00 Set point in mound for 1/4 bar

80.00 Set point in mound for bar

to sec 13, 14, 23, 24

Land rolling 1st rate

Good grass

E. on a random line

between sec 13, 24

Ta 140° 45' E

40.00 Set temporary 1/4 bar

79.78 Intersect E. line of 1/4 bar

flav. form, which bar from

N. 89° 53' D

533.

T. 14. S. R. 62. 00

on a true line

39.89 Let front in mound for 1/4 Cu

79.78 The Cu to Sec 13, 14, 23, 24

Land rolling 1st rate

Neg. good grass

N. between Sec 13 & 14

Va 150° E

40.00 Let front in mound for 1/4 Cu

80.00 Let front in mound for Cu

to Sec 11, 12, 13, 14

Land rolling 1st rate

Neg. good grass

E. on a random line

between Sec 12 & 13

Va 140° 45' E

40.00 Let temporary 1/4 Cu

79.93 Intersect C. line of T. 14 & S. 24

N. of Cor. from which Cu. Iron

S. 89° 58' 00"

534

T. 14. S. R. 62. 00

on a true line

39.96 Let front in mound for 1/4 Cu

79.93 The Cu to Sec 11, 12, 13, 14

Land rolling 1st rate

Neg. good grass

N. between Sec 11 & 12

Va 150° E

40.00 Let front in mound for 1/4 Cu

80.00 Let front in mound for Cu

to Sec 1, 2, 11, 12

Land rolling 1st rate

Neg. good grass

E. on a random line

between Sec 1 & 2

Va 140° 45' E

40.00 Let temporary 1/4 Cu

79.90 Intersect C. line of T. 14 & S. 24

N. of Cor. from which Cu. Iron

S. 89° 58' 00"

536-

T. 14. S. R. 62. 00

on a true line

39.95 Set post in mound for 1/4 bu

79.90 The bar to loc 1, 2, 11, 12

Land rolling 1st estate
Good grassN. on a random line
between Sec 1 & 2

Va 15° E

44.111 Set temporary 1/4 bu

53.111 Dry bed of creek, bar to S. 70°

79.39 Intersect N. line of T. 15 E 14

E. of bar, from which bar to run

S. 5° 6' E

on a true line

39.39 Set post in mound for 1/4 bu

79.39 The bar to loc 1, 2, 11, 12

Land rolling 2nd estate
Reg. grasses

July 28, 1872

536.

T. 14. S. R. 62. 00

N. between loc 34 & 35

Va 15° E

40.00 Set post in mound for 1/4 bu

80.111 Set post in mound for bar

to loc 26, 27, 34, 35

Land rolling 1st estate

Reg. good grasses

E. on a random line
between loc 26 & 35

Va 14° 45' E

40.00 Set temporary 1/4 bu

80.19 Intersect N. S. line 7 1/4 N.

of bar, from which bar to run

N. 89° 45' 00"

on a true line

40.14 Set post in mound for 1/4 bu

80.19 The bar to loc 26, 27, 34, 35

Land rolling 1st estate

Reg. good grasses

537

T. 14. S. R. 62.00
N. between Dec 26.27
Pa 150 E

40.00 Let port in around for 1/4 hr
80.00 Let port in around for 1/4 hr
to Dec 22.23.26.27
Land rolling 1st rate
Reg. good grasses

E. on a random line
between Dec 23.26
Pa 140 45 E

40.00 Let temporary 1/4 hr
80.07 Intersect N. S. line 17 1/4 E
of bar. from which bar down
N. 89° 53' 00
on a true line

40.03 Let port in around for 1/4 hr
80.07 The bar to Dec 22.23.26.27
Land rolling 1st rate
Reg. good grasses

3

538.

T. 14. S. R. 62.00
N. between Dec 22.23
Pa 150 E

40.00 Let Port in around for 1/4 hr
80.00 Let port in around for 1/4 hr
to Dec 14.15.22.23
Land rolling 1st rate
Reg. good grasses

E. on a random line
between Dec 14.23
Pa 140 45 E

40.00 Let temporary 1/4 hr
80.20 Intersect N. S. line 1 1/4 E N. of bar
from which bar down
N. 89° 55' 00
on a true line

40.10 Let port in around for 1/4 hr
80.20 The bar to Dec 14.15.22.23
Land rolling 1st rate
Reg. good grasses

839

T. 14. S. R. 62. 00

N. between Sec 14 & 15

N. 150° E

40.00 Set post in mound for 1/4 Sec

80.00 Set post in mound for Sec
to Sec 10. 11. 14. 15

Land rolling 1st out
Neg. good grasses

E. on a random line
between Sec 11 & 14

N. 140° 45' E

40.00 Set temporary 1/4 Sec

80.00 Intersect N. & S. line 9 1/4 Sec.
flor. from which Cor. Town
S. 89° 56' 00

on a true line

40.04 Set post in mound for 1/4 Sec

80.08 The Cor to Sec 10. 11. 14. 15

Land rolling 1st out
Neg. good grasses

840A

T. 14. S. R. 62. 00

N. between Sec 14 & 11

N. 150° E

40.00 Set post in mound for 1/4 Sec

80.00 Set post in mound for Sec
to Sec 2. 3. 10. 11

Land hilly & sandy
Neg. Birch & Pinus

E. on a random line
between Sec 2 & 11

N. 140° 45' E

40.00 Set temporary 1/4 Sec

80.12 Intersect N. & S. line 11 1/4 Sec.
flor. from which Cor. Town
N. 89° 55' 00

on a true line

40.06 Set post in mound for 1/4 Sec

80.12 The Cor to Sec 2. 3. 10. 11

Land rolling 1st out
Neg. good grass

441A

T. 14. S. R. 62. 00

N. ~~Ma~~ random line
between Sec 2 & 3

N. 150° E

40.00 Set temporary 1/4 cor

54.30 Dry bed of creek. by W.

68.60 Ravine S. W.

79.76 Intersect N. line of 1/4 at cor
from which cor 2 run
S. on a true line

89.76 Set post in mound for 1/4 cor

79.76 The cor to Sec 2. 3. 11 111

Land hills

Reg. good grain

July 29. 1872

N. between Sec 33 & 34

N. 150° E

40.00 Set post in mound for 1/4 cor

80.00 Set post in mound for cor
to Sec 27. 28. 33. 34

Land and hills 3^d note

442A

T. 14. S. R. 62. 00

E. on a random line
between Sec 27. 34

N. 144° 45' E

40.00 Set temporary 1/4 cor

79.95 Intersect N. line 7th S
of cor. from which cor 2 run

S. 89° 57' 00"

on a true line

89.97 Set post in mound for 1/4 cor

79.95 The cor to Sec 27. 28. 33. 34

Land and hills 3^d note

N. between Sec 27. 28

N. 150° E

40.00 Set post in mound for 1/4 cor

80.00 Set post in mound for cor
to Sec 21. 22. 27. 28

Land and hills 3^d note

Reg. Land grain Sage &c

443A

T. 14. S. R. 62. 00

E. on a random line
between Sec 22 & 27

Ta 14° 45' E

40.00 Set temporary 1/4 Cu

79.90 Intersect N.S. line 3 1/4 S.
of Cu. from which Cu true
S. 89° 54' 00

on a true line

89.95 Set post in mound for 1/4 Cu

79.90 The Cu. to Sec 21, 22, 27, 28

Land and hills 3^d rate

N. between Sec 21, 22

Ta 15° 0' 0

40.00 Set post in mound for 1/4 Cu

80.00 Set post in mound for Cu
to Sec 15, 16, 21 & 22Land rolling 2^d rate

Veg. grassy, & cactus

444A

T. 14. S. R. 62. 00

E. on a random line
between Sec 15 & 22

Ta 14° 45' E

40.00 Set temporary 1/4 Cu

79.97 Intersect N.S. line 7 1/4 S.
of Cu. from which Cu true
S. 89° 57' 00

on a true line

89.98 Set post in mound for 1/4 Cu

79.97 The Cu. to Sec 15, 16, 21, 22

Land rolling 2^d rate

Veg. good grasses

N. between Sec 15 & 16

Ta 15° 0' E

40.00 Set post in mound for 1/4 Cu

80.00 Set post in mound for Cu
to Sec 9, 14, 15 & 16Land rolling 2^d rate

Veg. grassy

445A

T. 14. S. R. 62.00

E. on a random line
between Sec 10 & 15

N. 14° 45' E

44.00 Set temporary 1/4 cor

79.87 Intersect N-S line at cor.
from which cor from
N. mature line

39.93 Set post in mound for 1/4 cor

79.87 The cor to Sec 9, 10, 15 & 16

Land rolling 2nd route
Veg. grasses

N. between Sec 9 & 10

N. 15° E

44.00 Set post in mound for 1/4 cor

80.00 Set post in mound for cor
to Sec 3, 4, 9 & 10Land rolling 2nd route
Veg. grasses - sage &
soak mead

446 A

T. 14. S. R. 62.00

E. on a random line
between Sec 3 & 10

N. 14° 45' E

44.00 Set temporary 1/4 cor

79.82 Intersect N-S line 14 1/2 S
flor. from which cor from
S. 89° 56' 00"

mature line

39.91 Set post in mound for 1/4 cor

79.82 The cor to Sec 3, 4, 9 & 10

Land rolling 2nd route
Veg. grasses & sageN. on a random line
between Sec 3 & 10

N. 15° E

90.00 Doy bed floret. by S. 00

44.00 Set temporary 1/4 cor

79.97 Intersect N. line of 17, 13 1/2 E
flor. from which cor from
S. 1° 6' E

447A

T. 14. S. R. 62. 08

on a true line

89.97 Let post in mound for 1/4 cor

79.97 The cor to loc 3. 4. 9 + 10

Land rolling 2nd rate

Veg. grasses Sage & cactus

July 31. 1872

N. between loc 32, 33

Ta 15°C

40.00 Let post in mound for 1/4 cor

80.00 Let post in mound for loc
to loc 28. 29. 32. 33Land rolling 1st rate

Veg. grasses & soap weed

E. on a random line
between loc 28, 33

Ta 14° 45' C

40.00 Let temporary 1/4 cor

80.03 Intersect N. & S. line at loc
from which loc 30 was

448.A

T. 14. S. R. 62. 08

on a true line

40.01 Let post in mound for 1/4 cor

80.03 The cor to loc 28. 29. 32. 33

Land rolling 2nd rate

Veg. grasses & Sage

N. between loc 28 & 29

Ta 15°C

19.60 Entire bottom land

34.26 Dry bed of stream by S. 00

40.00 Let post in mound for 1/4 cor

80.00 Let post in mound for loc

to loc 20. 21. 28. 29

Land level. Grass 1st rateE. on a random line
between loc 21, 28

Ta 14° 45' C

14.72 Dry bed of stream by S. 08

15.23 Leave bottom land

40.00 Let temporary 1/4 cor

449A

T. 14. S. R. 62. 00

80.05 Intersect N. S. line 1/4 Sec.
N. 1/4 Sec. from which C. are
N. 89° 56' 00"

on a true line

40.02 Let part in mound for 1/4 Sec.

80.05 The C. to Sec 20, 21, 28, 29

Land selling 2^d rate

N. between Sec 20, 21

Va 150° E

24.37 Same stream by S.E.

35.27 Same " " N.

40.00 Let part in mound for 1/4 Sec.

80.00 Let part in mound for C. to
to Sec 16, 17, 20, 21Land selling 1st & 2^d rate

Vg. P. Punch. Prairie

Land grass

449A

T. 14. S. R. 62. 00

C. masaudan line
between Sec 16, 21

Va 14° 45' E.

24.60 Dry bed of same creek by S.

16.20 Leave bottom land

40.00 Let temporary 1/4 Sec.

80.09 Intersect N. S. line 1/4 Sec.
N. 1/4 Sec. from which C. are
N. 89° 53' 00"

on a true line

40.04 Let part in mound for 1/4 Sec.

80.09 The C. to Sec 16, 17, 20, 21

Land selling 2^d rate

N. between Sec 16, 17

Va 150° E

40.00 Let part in mound for 1/4 Sec.

80.00 Let part in mound for C. to
to Sec 8, 9, 16, 17

Land level, 1st rate

Vg. Sand, Prairie grass

451A

T. 14. S. R. 62. 08

E. on a random line
between Sec 9 & 16

Ta 14° 45' E

27.31 Dry bed of creek by S.

29.57 Leave bottom land

40.00 Let temporary 1/4 Sec

84.16 Intersect N. line of 1/4 Sec 11
of bar. from which bar runs

N. 89° 57' 00"

on a true line

40.48 Let port on ground 1/4 Sec

84.16 The bar. to Sec 8, 9, 16, 17

Land selling 2^d rate

N. between Sec 8 & 9

Ta 15° E

40.00 Let port on ground 1/4 Sec

80.00 Let port on ground 1/4 Sec

bar to Sec 14, 5, 8 & 9

Land level 1st rate

Veg. Good grass

452A

T. 14. S. R. 62. 08

E. on a random line
between Sec 4 & 9

Ta 14° 45' E

40.00 Let temporary 1/4 Sec

73.25 Dry bed of creek by S. R.

73.50 Leave bottom land

84.13 Intersect N. line of 1/4 Sec 11
of bar. from which bar runs

N. 89° 54' 00"

on a true line

40.06 Let port on ground 1/4 Sec

84.13 The bar. to Sec 4, 5, 8 & 9

Land selling 2^d rate

Veg. Good grass

N. on a random line

between Sec 4 & 5

Ta 15° E

40.00 Let temporary 1/4 Sec

77.84 Intersect N. line of 1/4 Sec.

Sec 8, 9, 16 & 17

453.A

T. 14. S. R. 62.00
from which bar Iron
S. 8° 1' E
on a true line

89.84 Section in mound for 1/4 lb

79.84 The bar to loc 4. 5. 8. 9

Land level 1st rate

Reg. Prairie & Bushy grass

Proceeded & finally near

July 31, 1892

N. between loc 31, 32

N. 15° E

40.00 Section in mound for 1/4 lb

50.00 Section in mound for

bar to loc 29. 30. 31. 32

Land selling 2nd rate

Reg. sand prairie & B. grass

E. on a random line

between loc 29. 32

N. 14° 45' E

457.A

T. 14. S. R. 62.00

40.00 Section temporary 1/4 lb

55.13 Dry bed of creek by S. 10° E

79.83 Intersect N. line 7th N

of bar. from which bar Iron

N. 89° 59' 00

on a true line

39.91 Section in mound for 1/4 lb

79.83 The bar to loc 29. 30. 31. 32

Land level 1st rate

Reg. good grass

N. on a random line
between loc 30 + 31

N. 14° 45' E

40.00 Section temporary 1/4 lb

77.83 Intersect N. line of 7th S

of bar from which bar Iron

S. 89° 59' E on a true line

37.83 Section in mound for 1/4 lb

77.83 The bar to loc 29. 30. 31. 32

Land selling 2nd rate

455A

T. 14. S. R. 62.00

N. between Sec 29, 30
Ta 15° E

40.00 Set post in mound for 1/4 Cu

80.00 Set post in mound for Cu
to Sec 19.20.29, 30Land hill 2^a, 3^a rate
Veg. grasses & forageE on a random line
between Sec 20 & 29
Ta 14° 45' E

40.00 Set temporary 1/4 Cu

50.73 Dry bed of creek by S 20° E

79.90 Intersect N & S. line 10 ch N
of cor. from which Cor. Iron
N. 89° 56' W

on a true line

79.95 Set 1/4 mile 6x14x7 for 1/4 Cu

79.90 The Cu. to Sec 19.20.29, 30

Land level 1st rate
Veg. grasses & cactus

456A

T. 14. S. R. 62.00

E on a random line
between Sec 19, 30
Ta 14° 45' E

40.00 Set temporary 1/4 Cu

77.65 Intersect N. line of T. at Cu
from which Cor. Iron
E. on a true line

37.65 Set post in mound for 1/4 Cu

77.65 The Cu. to Sec 19.20.29, 30

Land hill 2^a rate
Veg. 1 bunch Prairie grass
Aug 1, 1872N. between Sec 19, 20
Ta 15° E

40.00 Set post in mound for 1/4 Cu

80.00 Set post in mound for Cu
to Sec 17.18.19.20Land hill 2^a rate
Veg. grasses & Sage

457A

T. 14. S. R. 62. 00

E. on a random line
between loc 17, 20
Va 14° 45' E

370 Entire bottom land
40.00 Let part in mound for 1/4 loc
61.50 Dry bed of creek bottom
79.98 Intersect N. line 7 E, S
flor from which loc 20
S. 89° 59' 00
on a true line

39.99 Let part in mound for 1/4 loc
79.98 The loc to loc 17, 18, 19, 20
Land rolling 1st rate
Veg. Prairie Bushgrass

N. on a random line
between loc 18 & 19
Va. 14° 45' E

40.00 Let temporary 1/4 loc
77.40 Intersect N. line of 1/4 Sec 11
flor. from which loc 20

458. A

T. 14. S. R. 62. 00

N. 89° 59' E
on a true line

37.40 Let part in mound for 1/4 loc
77.40 The loc to loc 17, 18, 19, 20
Land hill 3rd rate
Veg. grasses & sage
Aug 2, 1872

N. between loc 17, 18
Va 15° E

40.00 Let part in mound for 1/4 loc
78.30 Entire bottom land
80.00 Let part in mound for loc
to loc 7, 8, 17, 18
Land rolling 1st rate
Veg. Prairie Bushgrass

E. on a random line
between loc 8 & 17
Va 14° 45' E

2417 Dry bed of creek by S. E.

459A

T. 14. S. R. 62. 00

40.00 Let temporary 1/4 bar

54.85 Dry bed floor by S.

79.91 Intersect N.S. line 34.4 S
of bar. from which bar runs
S. 89° 54' 00"

on a true line

39.95 Let point in mound for 1/4 bar

79.91 The bar to loc 7.8. 17.18

Land rolling 2^d rate
Veg. bunch & some grasson a random line
between loc 7.18.

Va 14° 45' E

40.00 Let temporary 1/4 bar

77.29 Intersect N. line of 1/4 S. 1/4 S
of bar. from which bar runs
S. 89° 58' E

on a true line

37.29 Let point in mound for 1/4 bar

77.29 The bar to loc 7.8. 17.18

460A

T. 14. S. R. 62. 00

Land hill 2^d rate

Veg. grass

N. between loc 7.8
Va 15° E

21.10 Dry bed floor by S.E

40.00 Let point in mound for 1/4 bar

80.00 Let point in mound for bar
to loc 5.6. 7.8Land rolling 2^d rate
Veg. wood grasson a random line
between loc 5.18

Va 14° 45' E

40.00 Let temporary 1/4 bar

59.34 Dry bed floor by S.

79.83 Intersect N.S. line & S. S.
of bar. from which bar runs
S. 89° 57' 00"

on a true line

461A

T. 14. S. R. 62. 00

39.91 Let front in mound for 1/4 Cor

79.83 The Cor. to Sec 5. 6. 7. 8

Land rolling 2^d rate

Neg. Grass

N. on a random line
between Sec 6 & 7

N 14° 45' E

40.00 Let temporary 1/4 Cor

47.20 Dry bed of creek. Corner S.E.

77.28 Intersect N. line of T. 13 R. 4

S. of Cor. from which Cor. runs

S. 89° 54' E

on a true line

37.28 Let front in mound for 1/4 Cor

77.28 The Cor. to Sec 5. 6. 7. 8

Land rolling 2^d rate

Neg. Bunch & Prairie grass

462A

T. 14. S. R. 62. 00

N. on a random line
between Sec 5 & 6

N 15° E

40.00 Let temporary 1/4 Cor

79.90 Intersect N. line of T. 16 R. 4

E of Cor. from which Cor. runs

S. 11° 7' E

on a true line

39.90 Let front in mound for 1/4 Cor

79.90 The Cor. to Sec 5. 6. 7. 8

Land rolling 2^d rate

Neg. Bunch grass Sage &c

Aug 3. 1872

General Description

The surface of the Tp. is mostly
rolling. In the Eastern portion
sandy & hilly. The grass
good, the whole Tp. affording
a good cattle range.

T. 13 S. R. 5800

General Description

The surface of this T_h is rolling.

The grass are excellent quality of bunch & bunch grass, rendering the T_h with the water, excellently adapted to grazing purposes.

The border of this T_h is rolling and is mostly deficient in surface in surface in the surface of the T_h.

13. 14. 15. 16 & 17 S. R. 62. 87 of 13. 14. S. R. 61. 87. of 13. S. R. 58 W. and 13. S. R. 60. W of the 6th Div. Mer. in. C. T.

and that water of the T_h is in all respects to the T_h of the T_h and faithfully carried out. The T_h is a T_h in the T_h planted according to the T_h section. T_h is a T_h in the T_h Surveyor General

Philip Valdez } Chairman
James Duckett }
Juan Jaramilla }
Nicholas Joforfa } Flagman

Subscribed and sworn to
by the above named person
before me a Justice of the
Peace for the County of Pueblo
in the Territory of Colorado
this 4th day of
Sept 1872.

G. M. Hefburn (J.P.)
Probate Judge & Ex officio J.P.

I Jacob H. Martz deputy
Surveyor do solemnly swear
that in pursuance of a con-
tract with William T. Loring
Surveyor of the public lands
of the United States in the
Territory of Colorado, bearing date
the fifth day of July 1872,
and in strict conformity to the
of the United States and their in-
structions furnished by the said
Surveyor General, I have faithfully
surveyed the subdivision boundaries
of Tps. 13, 14, 15, 16, 17 S. R. 62
W. of 13, 14 S. R. 61, 62 of
13 S. R. 58 & 60. W.
and do further solemnly swear
that the foregoing are true and
original and correct surveys.

Jacob H. Martz
Deputy Surveyor